TROPICAL DISEASES BULLETIN

IMPERIAL INSTITUTE
13 AUG. 1915
LIBRARY

ISSUED UNDER THE DIRECTION OF THE HONORARY MANAGING COMMITTEE OF THE TROPICAL DISEASES BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

VOL. 5.

JANUARY 15, 1915—JUNE 15, 1915.

COMMONWEALTH MYCOLOGICAL INSTITUTE
26 MAY 1971

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C.

1915.

Digitized by the Internet Archive
in 2025

https://archive.org/details/tropical-diseases-bulletin_january-june-1915_5

HONORARY MANAGING COMMITTEE.

Chairman:
The Right Honourable Sir J. West Ridgeway,
G.C.B., G.C.M.G., K.C.S.I., LL.D.
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).
Sir John Rose Bradford, K.C M.G., C.B., F.R.S.
(representing the Royal Society).
Surgeon-General Sir David Bruce, C.B., F.R.S.
Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.
Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.
Sir John M'Fadyean, M.R.C.V.S.
Sir Patrick Manson, G.C.M.G., F.R.S.
Sir Ronald Ross, K.C.B., F.R.S.
Sir S. Stockman, M.R.C.V.S.
Mr. J. A. C. Tilley.
(representing the Foreign Office and Sudan Government)
Mr. H. J. Read, C.B., C.M.G.
(representing the Colonial Office),
with
Mr. A. Berriedale Keith, D.C.L., D.Litt.,
of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director:
A. G. Bagshawe, M.B., B.C., D.P.H. Cantab.,
of the Uganda Medical Staff.
Assistant Director:

Librarian:
R. L. Sheppard.
Sectional Editors:
Philip H. Bahr, M.D., M.R.C.P., D.T.M. & H. Cantab.
P. S. Abraham, M.D., B.Sc.
Andrew Balfour, C.M.G., M.D., D.P.H. Cantab.
Fleet-Surgeon P. W. Bassett-Smith, R.N., C.B., M.R.C.P.
R. T. St. John Brooks, M.D., D.T.M. & H.
H. B. Fantham, B.A., D.Sc.
Edward Hindle, Ph.D.
Colonel W. G. King, C.I.E., I.M.S. (retd.).
R. T. Leiper, D.Sc., M.B., Ch.B.
J. B. Nias, M.D., M.R.C.P.
W. J. Penfold, M.D., D.P.H.
F. M. Sandwith, M.D., F.R.C.P.
J. Henderson Smith, M.B., Ch.B.
C. M. Wenyon, M.B., B.S., B.Sc.
Warrington Yorke, M.D.
Editor of the Tropical Veterinary Bulletin:
A. Leslie Sheather, B.Sc., M.R.C.V.S.

CONTENTS.

SECTIONS.

	PAGES.
Amoebiasis (Amoebic Dysentery and Liver Abscess)	199–212
Beriberi	106–19
Blackwater Fever,	252–6, 354–9
Book Reviews	70, 128–30, 197–8, 318–23
Dysentery (Bacillary, Flagellate, &c., and Unclassed)	213–24
Fevers in the Tropics	360–3
Helminthiasis	13–17
Hygiene, Applied, in the Tropics	131–97, 447–86
Kala Azar (and Tropical Sore)	257–79
Leprosy	325–36
Library, Periodicals Received in (January)	i–vi
Malaria	34–54, 239–51, 337–53
Miscellaneous	305–17, 371–88, 433–46
Myiasis	9–12
Oroya Fever and Verruga Peruviana	368–70
Pappataci Fever	364–7
Pellagra	55–69, 425–32
Plague	18–33, 389–407
Protozoology	280–94
Relapsing Fever	230–8
Sleeping Sickness	83–105, 295–304, 408–17
Sprue	225–9
Tropical Skin Diseases	1–8
Undulant Fever	120–7
Yaws	418–24
Yellow Fever	71–82

Index of Authors	487
Index of Subjects	495
Quarterly Lists of References	Appendix, pp. vii–xlvii, xlix–lxxiv

ILLUSTRATIONS IN THE TEXT.

	PAGES.
Apparatus for Cultivation of Spirochaetes: A Simplification of Noguchi's Method	236
Diagram of Gaselee's Open Air Rubbish Incinerator	477
Diagram, Shewing how Symptoms and Pathological Conditions in Deficiency Diseases Overlap	107
Ditches for Drainage Against Malaria: Key Wall of	348
(*a*) Plan; (*b*) Cross Section	348
Instrument for Obtaining Stools for Examination	446
Leaping Weir as used by Madeley to Separate Storm Water and Sewage	184
Mandibles of Larvae of Fleas	31
Oil Drips for Anti-mosquito Work	349, 350
Silt Catcher (Madeley's)	183

(C163) Wt. P504/18. 2,000. 8.15. B.&F.Ltd. Gp.13/4. A2

CHARTS.

Showing Relationship of
(*a*) Quinine and Rigor 355
(*b*) Quinine and Blackwater Fever 356

MAPS.

India, Showing the Distribution of Dracontiasis among Prisoners .. .. *facing* 17
Madras City, Showing Results of Spleen Census, by E. C. Hodgson .. .. „ 43
Map of the Mountain and Pacific States (U.S.A.), Showing Distribution of Rocky Mountain Spotted Fever.. .. 436

PLATES.

Laundries, Cheap Public, Designed for Madras City by Col. King—Figs. 5A and 5B .. .. *between* 186 & 187
Madeley Method of Separating Rain Water from Sewage in Tropical Houses, &c. .. .. *facing* 182
Fig. 1, A and B .. .. „ 182
Figs. 4A and 4B .. .. *between* 184 & 185
Water Levels, Showing Obstruction of Subsoil Water by a Tank .. .. *facing* 145

TABLES.

Showing Action of Maternal and Foetal Human Serum on Trypanosomes 416
Showing Incidence of Yaws in Dedza District, Nyasaland .. 419
Showing the Incidence of Yellow Fever in the West African Colonies and Settlements from 1900 to Feb. 1914 .. 74

ERRATUM.

p. 19, line 8—for *Pigiopsylla* read *Pygiopsylla.*

INDEX OF AUTHORS.

A.

Abate, A., 258.
Abbatucci, 26.
Acton, H. W., & Knowles, R., 285.
Africa, East, 447.
——, West, 71, 486.
Agramonte, A., 22.
Akin, C. V., 392.
Alessandrini, G., & Scala, A., 58.
Alexander, D. *See* Gold Coast.
Allan, 146.
——, W. *See* Hiatt & Allan.
de Angelis, G., 431.
Anglada. *See* de Beurmann & Anglada.
Antonini, G., 59.
Archibald, R. G., 265.
——. *See* Chalmers & Archibald.
Arezzi, F. *See* Vandala & Arezzi.
Arnold, E. G., 170.
Ashford, B. K., 225.
Atkinson, E. L. *See* Leiper & Atkinson.
Aubert, P., 297.
—— & Michelli, M., 297.
Aubry, G. *See* Dumolard, Aubry & Torre.
Auerhann, W., 10.
de Azevêdo, P., 336.

B.

Babcock, J. W., 65.
Bacot, A. W., 311, 392, 393.
——, Petrie, G. F., & Todd, R. E., 402.
—— & Ridewood, W. G., 31.
Baermann, G., 387.
Baetjer, W. A., & Sellards, A. W., 204.
——. *See* Sellards & Baetjer.
Bahr, P. H., 421.
Balfour, A., 326, 344, 441.
—— & Wenyon, C. M., 53.
Balliano, A., 327.
Balp, S., 59.
Banks, C. S. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.
Bannerman, 465, 472.
Barbara, M., 261.
Barber, M. A. *See* Walker & Barber.
Barlow, N., 6, 345, 439.
Barrat, J. O. W., & Yorke, W., 254.
Bass, C. C., 341, 351.
Bassett-Smith, P. W., 266.
Beard, J., 344.
Beeson, C. F., 430.
Bentley, 146.
Bettencourt, N., 123.
de Beurmann & Anglada, 326.
Bisset, E., 230.
Blanc, G. *See* Nicolle & Blanc.
——. *See* Chatton & Blanc.
Blankmeyer, H. C., 11.
Blanquier, H., 325.
Blier, J., 291.
Blosser, R., 427.
Bobeau, G., 444.
Boeri, G., 199.
Bolt, R. A., 366.
Bordoni, E. F. *See* Volpino & Bordoni.
Bouffard, G., 89.
Bouilliez, M., 86.
Bourret, G. *See* Mesnil & Bourret.
Box, C. R., 66.
Braddon, W. L., & Cooper, E. A., 115.
van den Branden, 412.
Brault, J., & Viguier, A., 1, 2.
Bray, H. *See* Sudan Sleeping Sickness Commission.
Bréaudat, Y., & Lalung-Bonnaire, 203.
Breinl, A., 374.
—— & Priestley, H., 371, 372.
—— & Young, W. J., 437.
Brengle, D. R., 63.
Bressanin, R., 52.
Brodbent, C., 47.
Bronfenbrenner, J., 236.
Brooks, R. St. J. *See* Macalister & Brooks.
Brown, W. H., 415.
Browning-Smith, S., 27.
Bruce, D., 83.
Bruch, A., 362.
Brumpt, E., 100, 102.
—— & Gomes, J. F., 101.
Brunton, L., 464.
Butler, C. S., 380.

C.

Calderon, F., 375.
Candido, G., 218.
Cantani, A., 120.
Cantlie, J., 48.
Carbone, D., & Cazzamalli, F., 62.
Cardamatis, J. P., 111.
Caronia, G. *See* di Cristina & Caronia.
Carter, H. R., 143, 242.
Castellani, A., 228, 293, 422.
Cazzamalli, F. *See* Carbone & Cazzamalli.
Chalmers, A. J., & Archibald R. G., 287.
—— & Marshall, A., 1, 3.
Chamberlain, W. P., 383.
Chapin, C. W. *See* McCoy & Chapin.
Chatterjee, G. E., 283.
Chatton, E., & Blanc, G., 289, 290.
——. *See* Nicolle & Chatton.
Chevallier & Gimlette, J. R., 167.
Ciarla, E., 428.
Ciuca, M., 97.
Clarenc, H., 44.
Clark, H. C., 428.
Clemesha, 193.
Coates, G. M., 10.
Collett, 162.
Collin, L., 377.
Concepcion, I. *See* Gibson & Concepcion.
——. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.
Coniglio, C., 246.
Converse, 153.
Cook-Young, A. W., 170.
Cooley, R. A., 435.
Cooper, E. A., 118.
——. *See* Braddon & Cooper.
Coppinger, C. J. *See* Cummins, Coppinger & Urquhart.
Cornwall, J. W., & Patton, W. S., 312.
Cory & Murphy, 164.
Courtney, B. J., 330.
Couvy, L., 75.
Cox, S. L. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.
Craig, C. F., 207, 247, 249.
Crake, 466, 485.
Crespin, J., 47.
di Cristina, G., & Caronia, G., 269.
Christopherson, J. B., 274.
Crowell, B. C., 379.
Cummins, S. L., Coppinger, C. J., & Urquhart, A. L., 126.
Cunha, R. de A., 403.

D.

Dalburg, F. A. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.
Dalziel, L. M., 326.
Darling, S. T., 104, 107.
Darré, H. *See* Martin & Darré.
Das, J. L. *See* Ghosh & Das.
Davey, J. B., 418.
Day, A. A. *See* Kendall, Day & Walker.
Deaderick, W. H., 253, 386.
Debono, P. P., 199.
De Buys, L. R., 202.
Degorce, A., 443.
Deggeller, O., 396.
De Lanney, E. L., 203.
Delanoë, P., 301.
Denier, 213, 223.
Denman, R., 25.
De Sautelle, W. T., 217.
Devy, 26.
van Dine, D. L., 352.
Distaso, A., 225.
Dixon, S. G., 309.
Dolley, G. C., 6.
Dowden, R., 44.
van Driel, D. M., 33.
Duke, H. L., 87.
Dumolard, L., Aubry, G. & Torre, Mme., 232.
Dupont. *See* Lafont & Dupont.
Duval, C. W., 333.
Dyer, I., 332,
Dyson, 192.

E.

East Africa Protectorate, 21, 137, 146, 177, 186, 386, 447.
Eastwood, A., & Griffith, F., 29.
Eggers, H. E., 381.
Elfer, A., & von Purjesz, B., 54.
Erdmann, R., 291.
Escomel, E., 219, 279.
Evans, 478.
Ewart, C. B. *See* Sutherland, Poynder & Ewart.

F.

Falcão, Z., 328.
Fantham, H. B., 235.
—— & Porter, A., 280, 289.
——. *See* Thomson & Fantham.
Federated Malay States, 308, 357.
Ferro, P., 125.
Fidanza, F., 432.

Fiji, 170.
Fletcher, W. *See* Federated Malay States.
Flu, P. C., 392, 400, 401.
Fonseca, M. A., 362.
Forrest, T., 463.
Fox, C., 404.
Francaviglia, M. C., 9.
Franchetti, A., 59.
Francis, E. *See* Lavinder, Francis, Grimm & Lorenz.
Francisco Tello, J., & Ruiz Falcó, A., 22.
Fraser, H., 461, 463.
—. *See* Federated Malay States.
Frazer, T., 63, 429.
Fretz, W. L., 362.
Fricks, L. D., 435.
Fulle, G. B. C., 360.

G.

Gabbi, U., 256, 257, 364.
Gait, 194.
Gallagher, G. H., 93.
——. *See* Macfie & Gallagher,
Ganpati Iyer, R. *See* Kunhardt, Taylor, Ganpati Iyer, Kesava Menon, Varadhachari, Raghavendra Rao & Narayan Rao.
Garrison, P. E. *See* Siler, Garrison, & MacNeal.
Gasbarrini, A., 438.
Gatti, G., 257, 268.
Gauducheau, A., 208.
Gessner, H. B., 8.
Ghosh, B. N., & Das, J. L., 197.
Gibson, F. Maitland, 165.
——, R. B., & Concepcion, I., 117.
Gilbert, L. E., 45.
Gill, C. A., 34, 37, 240.
Gimlette, J. R. See Chevallier & Gimlette.
di Giorgio, G., 268.
Giugni, F., 258, 273.
——. *See* Spagnolio & Giugni.
Guiseppe, M., 275.
Glaeser, H., 411.
Goldberger, J., 55.
——, Waring, C. H., & Willets, D. G., 67.
Gold Coast, 134.
Gomes, J. F. *See* Brumpt & Gomes.
Goretti. *See* Schilling & Goretti.
Gorgas, W. C., 163, 174, 313.
Grall, J., & Hornus, P., 222.
Greig, A. W., 161, 476.
Greil, G. J., 430.
Griffith, F. *See* Eastwood & Griffith.
Grimm, R. M. *See* Lavinder, Francis, Grimm, & Lorenz.
Guiteras, G. M., 401.
Gutierrez, P. *See* Musgrave, Walker, Jackson, Banks, Vazquez Gutierrez, Dalburg, Concepcion, Cox & Guzman.
Guymarc'h. *See* Ringenbach & Guymarc'h.
Guzman, A. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.

H.

Haddad, W. B. *See* Harpur & Haddad.
Haldane & Wade, 160.
Handa, 112.
Hankin, 467.
Harper, F. S., 8.
Harpur, F. J., & Haddad, W. B.
Harrison, 150.
Harriss, 163, 461.
Hatori, J., 246, 252.
Hebbert, R. F., 224.
Heffernan, P., 213.
Hehir, P., 51.
Heiser, V. G., 20, 329.
Hervier. *See* Maurras & Hervier.
Hiatt, H. B., & Allan, W., 227.
Hill, H. W., 335.
Hillman, O. S., & Schule, P. A., 431.
——. *See* Singer, Schule & Hillman.
Hindle, E., 129.
Hodgson, E. C., 41, 191, 239.
Honda, K., 113.
Honeij, J. A. *See* Wolbach & Honeij.
Hood, T. *See* Nigeria, Southern.
Hopkins, F. G. *See* Gold Coast.
Horne, J. H., 40.
Hornus, P. *See* Grall & Hornus.
Hossack, W. C., 405.
Hostalrich, 390.
Howard, R., 420.
Hunter, G. C., & Williams, E. H., 64.
——, S. J., 59.
Hurley, V., 329.
Hutton, 473, 481.

I.

Ido, Y., & Watanabe, Y., 112.
Ilvento, A., & Mazzitelli, M., 395.
Ionnides, G. S., 268.
Iredell, C. E., 330.
Izar, G., 127.

J.

Jackson, T. W. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.
James, C. C., 184.
——, S. P., 305.
Jamieson, S., 342.
Jeanselme, E., 328.
Jennings, A. H., 426.
Johnson, J. T. C., 358.
Johnston, J. A., 334.
——, J. E. L., 80.
Jordan, H. E., 464.
Jouveau-Dubreuil, H., 5.

K.

Kassimatis, K., 232.
Katsas, G. G., 269.
Käyser, J. D., 331.
Kendall, A. J., Day, A. A., & Walker, A. W., 334.
Kennan, R. H., 162, 174.
——. *See* Sierra Leone.
Kenrick, W. H., 38, 190.
Kerandel, J., 394.
Kermorgant, 201.
Kesava Menon, T. *See* Kunhardt, Taylor, Ganpati Iyer, Kesava Menon, Varadhachari, Raghavendra Rao & Narayan Rao.
Khoury, A., 328.
King, A. *See* St. Lucia.
Kleemann, E. *See* Rosenthal & Kleemann.
Knowles, R. *See* Acton & Knowles.
Koch, H., 410.
Kopke, A., 95.
Korke, V. T., 273.
Kozovsky, A. D., 69.
Kuenen, W. A., 215.
Kunhardt, J. C., Taylor, J., Ganpati Iyer, R., Kesava Menon, T., Varadhachari, B. V., Raghavendra Rao, R., & Narayan Rao, K., 389.
——, J. C. G., 21, 27.
Kuraoka, H., 391.

L.

La Cava, F., 258.
Lafont, A., & Dupont, V., 298.
Lalung-Bonnaire. *See* Bréaudat & Lalung-Bonnaire.
Lama, A., 326.
Landes, L. *See* Sergent, Lhéritier & Landes.
Lanfranchi, A., 412.
Langeron, M., 388.
Lapage, G. *See* Woodcock & Lapage.
Laurie, R., 146, 148.
Laveran, A., 99, 259, 277, 288, 297.
—— & Roudsky, D., 103.
Lavinder, C. H., Francis, E., Grimm, R. M., & Lorenz, W. F., 60.
Lavori della Societa Italiana di Patologia Esotica, 207.
Leber, A., 14.
—— & von Prowazek, S., 440.
Leiper, R. T., 287.
—— & Atkinson, E. L., 459.
Le Prince, J. A. A., 347, 349, 350.
Le Roy des Barres, 212, 422.
Levaditi, C., & Mutermilch,, St., 96
Lhéritier, A. *See* Sergent, Lhéritie & Landes.
Liceaga, E., 77, 82.
Lignos, A., 268.
Liston, W. G., 156, 406.
—— & Turkhud, D. A., 16.
Little, E. G., 66.
——J. M., 109.
van Loghem, J. J., & Swellengrebel, N. H., 18, 19.
Long, J. D., 28.
Lorenz, W. F., 57, 67.
——. *See* Lavinder, Francis, Grimm & Lorenz.
Low, G. C. *See* Wenyon & Low.
Lowery, J. R., 60.
Luna, F., 257.
Lynn, W. J., 200.

M.

Macalister, G. H., & Brooks, R. St. J., 28.
McCoy, G. W., 336.
—— & Chapin, C. W., 156.
McCrae, J., 114.
Macdonald, J. B., 63.
McDonald, W. M., 423, 425.
Macdonald, W. R., 51.
Macfie, J. W. S., 243, 292.
—— & Gallagher, G. H., 90.
McGarrison, R., 116, 434.
MacGilchrist, A. C., 49, 250.
MacGregor, M. E., 11.
McGrigor, H. J., 46.
Mackie, F. P., 262, 264, 272, 282.
M'Leod, J. W., & Soga, A. R. B., 237.
Macleod, K. M. *See* Ghosh & Das.
McMurtrie, K., 4.

MacNeal, W. J. *See* Siler, Garrison & MacNeal.
Madeley, 181, 482.
Madras Act, 473.
Maggiore, S., 257.
Maillart, 122.
Manaud, A., 395.
Mantovani, M., 275.
Margulis, M. S., 245.
Marjoribanks, J. L., 39.
Markl, J. G., 30.
Marshall, A., 207.
——. *See* Chalmers & Marshall.
Martel, 212.
Martelli, P. M., 122.
Martin, L., & Darré, H., 94.
Martini, E., 405.
Marzinowsky, E. I., 310.
Mason, 145.
Mathis, C., 210.
——, L., 110.
di Mattei, E., 256.
Maurras & Hervier, 211.
Maurel, E., 201.
Maxwell, J. L., 385.
Mazzitelli, M. *See* Ilvento & Mazzitelli
de Mello, F., 40.
Mercier, C. A., 335.
Mesnil, F., 97.
—— & Bourret, G., 99.
—— & Motais, F., 297.
Michelli, M. *See* Aubert & Michelli.
Miller, H. W., 64.
Milne, A. D., 171.
——. *See* East Africa Protectorate.
Minchin, E. A., & Thomson, J. D., 300.
Missiroli, A., 24.
Mitchell, J. A., 65.
——, T. J., 276.
Monge, M. C., 274.
Moore, J. T., 448.
Morstatt, H., 411.
Moses, A., 399.
Motais, F. *See* Mesnil & Motais.
Murphy. *See* Cory & Murphy.
Musgrave, W. E., & Sison A. G. 217.
——, Walker, E. L., Jackson, T W., Banks, C. S., Vazquez, A., Gutierrez, P., Dalburg, F. A., Concepcion, I., Cox, S. L., & Guzman, A., 241.
Mutermilch, St. *See* Levaditi & Mutermilch.

N.

Nailor. W. E., 402.
de Napoli, F., 2.
Narayan Rao, K. *See* Kunhardt, Taylor, Ganpati Iyer, Kesava Menon, Varadhachari, Raghavendra Rao & Narayan Rao.
Neiva, A., 103.
Neligan, A. R., 279.
Nicolle, C., & Blanc, G., 233, 234.
—— & Chatton, E., 278.
Nigeria, Southern, 135, 178.
Niles, G. M., 203.
Noeller, W., 318.
Norris, W. P., 469.
Nyasaland Protectorate, 295.

O.

O'Brien, J. M., 76.
Odriozola, E., 370.
Orenstein, A. J., 249.
Orta, F., 52.
Otten, L. *See* Swellengrebel & Otten.
Ouzilleau, F., 408.
Ozzard, A. T., 424.

P.

Page, B. W., 60, 427.
Patton, W. S., 164, 166, 267.
——. *See* Cornwall & Patton.
Pavoni, G., 258, 261.
Pellegrino, P. L., 365.
Perry, E. L., 37, 240.
Peter, A. G., 47.
von Petersen, 276.
Petrie, G. F. *See* Bacot, Petrie & Todd.
Petzoldt, 443.
Phillips, L., 200.
Pickels, J. A. *See* Nigeria, Southern
Pirie, J. H. H. *See* East Africa Protectorate.
Porter, A., 280.
——. *See* Fantham & Porter.
Poynder, J. *See* Sutherland, Poynder & Ewart.
Priestley, H. *See* Breinl & Priestley.
Prinkos, N. B., 233.
de Probizer, G., 430.
von Prowazek, S. *See* Leber & von Prowazek.
von Purjesz, B. *See* Elfer & von Purjesz.

Q.

Queensland, 448.

R.

Radford, W. J., 174.
——. *See* East Africa Protectorate.
Rafael Risquez, J., 441.
Raghavendra Rao, R. *See* Kunhardt, Taylor, Ganpati Iyer, Kesava Menon, Varadhachari, Raghavendra Rao & Narayan Rao.
Ramachandra, R. B., 177.
Ramoino, P., 119, 432.
Rand, R. F., 359.
Ranieri, G., 258.
Rat, J. N., 7.
Reed, A. C., 267.
Remlinger, P., 378.
Rho, F., 52.
Rhodesia, Northern, 295.
Rice, T. E. *See* Sierra Leone.
Ridewood, W. G. *See* Bacot & Ridewood.
Rietti, F. *See* Rondoni & Rietti.
Ringenbach, J., 358.
—— & Guymarc'h, 13, 421.
Rivas, D., & Smith, A. J., 329.
Rivista Pellagrologica Italiana, 69.
Roberts, N., 158.
Robertson, J. C., 190.
Robinson, R. F., 68.
Rogers, L., 227, 270.
Rondoni, P., & Rietti, F., 103.
Roper, R., 307.
Rosenthal, F., & Kleemann, E., 415.
Ross, P. H. *See* East Africa Protectorate.
——, R., 34, 46, 468.
Rossi, O., 58.
Roubaud, E., 10, 302, 408.
Roudsky, D. *See* Laveran & Roudsky.
Row, R., 260.
Rowland, E. D., 315.
——, S., 396, 397, 398, 399.
Rubinato, G., 65.
Rucker, W. C., 332.
Rudolph, M., 4.
Ruediger, E. H., 378.
Ruiz Falcó, A. *See* Francisco Tello & Ruiz Falcó.
Rutelli, G., 257.

S.

Saint Lucia, 168.
Saito, 267.
Sambon, L., 425.
Sambuc, E., 210.
Sanders, T. E., 427.
Sandwith, F. M., 220
Sangiorgi, G., 288.
Saphier, J., 238.
Scala, A. *See* Alessandrini & Scala.
Schilling & Goretti, 303.
Schmitter, F., 228.
Schüffner, 360.
Schule, P. A. *See* Hillman & Schule.
—. *See* Singer, Schule & Hillman.
Scordo, F., 270, 271.
Scott, L. B., 221.
Scheult, R., 433.
Seidelin, H., 78, 284, 299.
—— & Summers-Connal, S., 309.
Seifert, M. J., 244.
Sellards, A. W., & Baetjer, W. A., 204, 206.
——. *See* Baetjer & Sellards.
——. *See* Strong, Tyzzer & Sellards.
Sergent, Edm., 278, 367.
—, Edw. 122.
——, Lhéritier, A., & Landes, L. 299.
Serra, A., 327.
Sierra Leone, 131, 146.
Siler, J. F., Garrison, P. E. & MacNeal, W. J., 55, 57, 426.
Simpson, W. J., 447, 456, 470.
Singer, H. D., 428.
——, Schule, P. A., & Hillman, O. S., 426.
Sison, A. G. *See* Musgrave & Sison.
Skelton, D. S., 466.
Small, R., 146.
Smart, A. G. H., 43.
Smith, A. J. *See* Rivas & Smith.
—— & Weidman, F. D., 209.
——, F., 111.
Smits, J. C. J. C., 382.
Soga, A. R. B. *See* M'Leod & Soga.
Solomons, B., 343.
Somaliland, 231.
Sommerville, D., 198.
Soprano, E., 5.
Spagnolio, G., 245, 365.
—— & Giugni, F., 267.
Spencer, H. A., 342.
Stanton, A. T., 339.
Starling, H. L. *See* Wade & Starling.
Stefano, C., 121.
Stephens, J. W. W., 85, 254, 351.
—— & Stott, W., 354.
Stevenson, 156.
Stepp, W., 117.
Stott, W. *See* Stephens & Stott.
Streatfield, 189.
Strickland, C., 23, 433.
——. *See* Federated Malay States.
Strong, R. P., 442.
—— & Tyzzer, E. E., 368, 369.
——, Tyzzer, E. R. & Sellards, A. W., 368.
——, W. M., 110.

Sudan Sleeping Sickness Commission, 296.
Summers-Connal, S. *See* Seidelin & Summers-Connal.
Sutherland, Poynder, J., & Ewart, C. B., 149.
Swellengrebel, N. H., 32, 209.
——. *See* van Loghem & Swellengrebel.
—— & Otten, L., 24.

T.

Tacchetti, G., 52.
Tallo, F., 125.
Taylor, J., 157.
——. *See* Kunhardt, Taylor, Ganpati Iyer, Kesava Menon, Varadhachari, Raghavendra Rao & Narayan Rao.
Terry, B. T., 303.
Thibault, Jr., J. K., 352.
Thomson, J. D. *See* Minchin & Thomson.
——, J. G., & Fantham, H. B., 286.
Tibbles, W., 128.
Timpano, P., 52.
Tizzino, G., 60,. 314
Todd, J. L., 104, 433.
——, R. E. *See* Bacot, Petrie & Todd.
Tomkinson, J. W., 276.
Torre, Mme. *See* Dumolard, Aubry & Torre.
Torres, T., 81.
Tuck, G. L. *See* Wu Lien-Teh.
Turkhud, D. A., 16.
——. *See* Liston & Turkhud.
Tyzzer, E. E. *See* Strong & Tyzzer.
——. *See* Strong, Tyzzer & Sellards.

U.

Ujihara, 202.
United Provinces of Agra & Oudh, 167
United States Army, 140, 147, 174.
Unwin, R., 483.
Urquhart, A. L. *See* Cummins, Coppinger & Urquhart.

V.

Vadon, 376.
Vaglio, R., 257.
Vandala, P., & Arezzi, F., 440.
Varadhachari, B. V. *See* Kunhardt, Taylor, Ganpati Iyer, Kesava Menon, Varadhachari, Raghavendra Rao & Narayan Rao.
Vassal, J. J., 231.
Vazquez, A. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.
Vedder, E. B., 106.
Velu, 414.
Verga, E., 429.
Vialatte, C., 300.
Viguier, A. *See* Brault & Viguier.
Voegtlin, C., 66.
Volpino, G., 61, 62.
—— & Bordoni, E. F., 430.
van den Vrijhoef, H. C., 445.

W.

Wade, H. W. *See* Haldane & Wade.
—— & Starling, H. L., 23.
Walker, A. W. *See* Kendall, Day & Walker.
——, E. L., & Barber, M. A., 337.
——. *See* Musgrave, Walker, Jackson, Banks, Vazquez, Gutierrez, Dalburg, Concepcion, Cox & Guzman.
——, W. O., 366.
Waring, C. H. *See* Goldberger, Waring & Willets.
Warner, C. E., 25.
Watanabe, Y., 112.
Watson, M., 478.
Wayson, N. E., 404.
Webb, E. C., 413.
Weidman, F. D. *See* Smith & Weidman.
Weir, H. H., 361.
Wenyon, C. M., & Low, G. C., 79.
——. *See* Balfour & Wenyon.
Werner, H., 112, 246, 445.
Wheeler, W. M., 310.
Wherry, W. B., 404.
Whyte, G. D., 384.
Wick, 203.
Willcocks, F. C., 7.
Willets, D. G., 343.
——. *See* Goldberger, Waring & Willets.
Williams, A. W., 331.
——, C. E., 226, 455, 462.
——, E. H. *See* Hunter & Williams.
——, T. A., 43.
Wilson, H. C., 151, 152, 453.
——, R. J., 31.
——, W. T., 68.

Wolbach, S. B., & Honeig, J. A., 333.
Wood, E. J., 424.
Woodcock, H. M., & Lapage, G., 283.
Wright, J. M., 220.
, T. E., 344.
Wu Lien-Teh, 70.

Yofé, H., 48.
Yorke, W. *See* Barrat & Yorke.
Young, T. C. McC., 264, 270.
——, W. J., 15.
——. *See* Breinl & Young.

Y.

Yamagiwa, K., 111.
Yellow Fever Commission (West Africa), 71.

Z.

Zannini, W., 365.
Zoja, L., 438.

INDEX OF SUBJECTS.

Compiled by Miss M. H. James.

The Sanitation Numbers (3 and 8) are indexed separately as **Hygiene, Applied, in the Tropics,** and follows the Index of Subjects.

Ainhum *see under* **SKIN DISEASES, TROPICAL**

AMOEBIASIS (Amoebic Dysentery, and Liver Abscess, *see also* **DYSENTERY),** 199–212
- Amoebic Dysentery
  - Amoebae
    - Amoebae from Experimental Animals, 204, 205, 206, 207
    - Cultural and Dysenteric, relations between, and the Mycetozoa, 208
    - Penetration of Veins by, 220
    - Staining Method, 207
    - in Stools, Saigon Report on, 223
  - *A. pulmonalis*, suggested comparison with *E. mortinatalium*, 210
  - Entamoebae
    - in Animals, 207, 209
    - Biology, Morphology and Pathology of those found in Man, 221
    - *E. chattoni*, from Ape's gut, 209
    - *E. histolytica*
      - Absence of, from Faeces *sine quâ non* of Cure, 200
      - Action on, of Emetine, 200, 201
      - and *E. tetragena*, as different stages of one organism, 200, 202
      - Infection with, of Urinary Tract, 200
      - Morphology, Life-Cycle and Relation of, to Disease, 207–8
      - Penetration by, of uninjured Mucosa, 207
    - *E. ovis*, from Sheep's gut, 209
    - *E. mortinatalium* as Human Parasite, 209–10
    - *E. tetragena*
      - Drugs inhibitive and expulsive of, 200, 202

Amoebiasis—*cont.*
- Amoebic Dysentery—*cont.*
  - Amoebae—*cont.*
    - Entamoebae—*cont.*
      - *E. tetragena*—*cont.*
        - and *E. histolytica*, as different stages of one Organism, 200, 202
      - *E. phagocutoides*, characteristics of, 208
    - *Vahlkampfia* genus, Facultative parasitism of, 208
  - Cause of Death in, in Animals, 204
  - Diagnosis
    - Differential, by Coproscopy, 222-3
    - Macroscopic, 223
  - Incidence
    - Age
      - Rarity in Children, 202
    - Class
      - Coolies, 216
      - Jail-prisoners, 221, 222
    - Geographical
      - Africa, 204
      - America, U.S. (Louisiana), 202
      - Anglo-Egyptian Sudan, 207
      - Annam, 203
      - Egypt, 202
      - England (Hospitals), 221
      - French Far Eastern Colonies, 201
      - Malta, 199
      - Morocco, 222–3
      - Peru, 220
      - Philippine Islands, 376
      - Sardinia, 199
      - Sumatra, 209
  - Prophylaxis
    - Emetine, 201
    - Opium, Tincture of, 201
  - References to Literature, vii–viii, xlix–l
  - Symptoms, 201
  - Treatment
    - Calomel, in combination with Thymol, 200
    - Emetine, 199, 200, 201, 202, 203, 204, 221
      - Dosage, 203
    - Gelatin Formaldehyde-Treated Capsules, filled with Ipecacuanha, 203

Amoebiasis—*cont.*
AMOEBIC DYSENTERY—*cont.*
Treatment—*cont.*
Ipecacuanha, 199, 201, 203, 204, 221
Kerosene Oil Injections, 203
Male Fern, 200
Neosalvarsan, 200
Quinine, with Tannin, 202
Salvarsan, 200
Salvarsan copper, 387
Simaruba bark, 203
Thymol, 200
with Castor-oil, 202
Uzara, 203–4

Various Forms

EXPERIMENTAL
Clinical course in Cats, &c., 204–7

HEPATIC
Incidence; Course: Causation: Treatment, 220

LIVER ABSCESS
Amoebae present in, 210
in Experimentally-Infected Animal, 206
Incidence
Geographical
Malta, 199
Saigon, 211–2
Tonkin, 210
Leucocytic changes, 210
Local Anaesthesia for, during Operation, 211
Pleurisy during, 210–11
References to Literature, vii–viii, xlix, l.
Treatment
Emetine, 200,
Results, 212, 220
Operative, 211, 212
Local Anaesthesia for, 211
Resection, 212
Suturing, 212
Puncture, 220

BERIBERI, 106–19
Aetiology of, and of other Diet-Deficiency Diseases, 106–9
Experiments on, 116, 117
Sago in relation to, 110
Theories, 118
Bacteriological, 117
Food-Deficiency, 106–9
Summary of Literature on, 119
Infectious, 111
Intoxication (by selective poison), 114
Place-Disease, 111
Protozoal, 110
Vitamine Deficiency, 106, 114, 118

Beriberi—*cont.*
Anti-Neuritic Substance in Food, Deficiency of, as Cause, in Birds, and Men, 115–6
Blood-Conditions in, Tonkin, 110
Calorific value of Diet in relation to, 116
Cardiac Changes during, 112, 113
Deficiency Diseases and, Overlap of Symptoms and Pathological Conditions of, 107–9
Diagnosis of; Nerve-involvement, early, differentiating from Scurvy, 109
Orthodiagraphic Examination of the Heart, 112
Diet in relation to, *see also* Aetiology, Food, Rice
Actual Consumption of Food to be Noted, 106
Alcohol and, 118
Anti-Neuritic substances requisite, 115–6
Calorific value, of importance, 116
Carbohydrate Metabolism and, 115, 116
Jail-Diets, suggested, 106
Lipoid-free, Experiments with, 117–8
Food Stuffs liable to Induce (*see also* Rice), 106, 107, 108, 109, 110, 114
Food Substances known to be Preventive of, 106, 117
Husks, Value of as Preventive and Cure, 108, 112, 114, 117
Inadequate as Protection unless supplemented by other Food Stuffs, 117
Incidence
Age, in relation to forms of Maize-Diet, 114
Class and Occupational
Jail Prisoners, 106, 110, 114
Soldiers, 110, 111, 112
Geographical
America, U.S., 106
Greece, 111
India, 111
Japan (Army), 112
Labrador, 109
Newfoundland, 109
New Guinea, 375
Papua, 110
Philippine Islands, 375, 376
South Africa
Rand (possible), 108, 109
Transvaal, 114
Thursday Island, 375
Tonkin, 110
Greater in the Well-, than in the Ill-Nourished, 115
Racial, 112, 375

Beriberi—*cont.*
Incubation period in Man, on certain Foods, 106
Lipoid-free Food, in relation to, 117–8
Literature on, summary of, 119
Maize in relation to
Absence from, of Amino-acids, 117
Flour of, Phosphoric Oxide Contents, 114
Metabolic Factors, Influence of, 115
Nervous System as affected in, 109, 110, 112, 113–4
Paralysis, forms of, associated with, 110, 113
Pathological Affinities of, with Scurvy, 107–9
Changes in, compared with those in Experimental Avian, 111–2
Histological Changes of Nervous System in, 113–4
Phosphoric Oxide Contents of Maize Flour, 114
Post-mortem findings in, Similarity of, to those in Endemic Scurvy, 108
Prophylaxis (*see also* Diet, *supra*), 111
Pulse-rate in relation to, 110
References to Literature, ix–x, l
Rice in relation to (all forms), 106–7, 110–11, 113, 114, 115, 116, 117, 375
Quantity Consumed, in reference to, 115
Sago apparently a Causative Food, 110
Scurvy and, Pathological Affinities between, 107–9
Stages in
Progressive, 113
Retrogressive, 113
Symptoms
Analogous to those of
Exophthalmic Goitre, 112
Scurvy, 107–9
Cardiac, 112, 113
Nervous, 106, 110, 112, 113–4
Tinned Foods as Provocative of, 106, 109
Treatment
in Progressive Stage, 113
in Retrogressive Stage, 113
Active, adverse view on, 111
Calomel, 113
Dietetic, *passim*
Magnesium Sulphate, Dosage with, 113
Purgative, 113
Rest, 113
Yeast, Autolysed (proposed), 118–19
Vitamine Theory, *see under* Aetiology, Theories

Beriberi—*cont.*
Vitamines in
Food, in relation to Anti-Neuritic Substances, 115, 116
Maize, 114
White Bread and Whole Meal Bread in relation to, 107, 109

Varieties

AVIAN, or Polyneuritis
Aetiology, 109
Theories, 112
Bacillus suipestifer in, 116
Experimental Inoculation with, 117
Dietetic Experiments on Fowls in regard to, 115–6
Carbohydrate Increase, 115–6
Experimental
Cure by Autolysed Yeast, 118–19
Pathological changes in, and in Human, 111–2
Halteridium found in, 116
Parasites and Bacteria found in, 116, 117
References to Literature, ix–x, l
Rice in relation to, 115–6
Unhusked, not Completely Protective, 117
HUMAN
Acute, 110
Definition, 114
Nerve-Changes in, 113, 114
Asylum (and Jail), 106, 108
Brazilian, 108
Chronic, 110
Definition, 114
Nerve-Changes in, 113, 114
Dropsical, 112
Endemic, 108
Dry, 108
Infantile, 108, 114
Nerve-Changes in, 113, 114
Latent (possible), 109
Neuritis, Peripheral, Endemic, 108
Ship, 108
Wet, 108
Prevalent in
Newfoundland, 109
Papua, 110

BLACKWATER FEVER, 252–6, 354–9
Albumin in Urine in, 253
Bile Pigments, relation of to Haemoglobin, 254–5
Blood-conditions in, 253–4, 357–8
Experiments with
Serum and Blood Corpuscles, 357
Watery Extracts of Liver and Spleen, 357

Blackwater Fever—*cont.*
Haemoglobinuria, and, 254
Investigations on, 254–5
Paroxysmal, or Toxic, 254
Conditions producing, 358
Incidence
Age, 252, 253
Class and Occupational, 253
Familial, 253
Geographical
Formosa, 252–3
India (Jeypore Hill Tracts), 240
Malaya, 357
Rhodesia, 359
Non-Urban, 359
Racial, 252, 357
Seasonal, 252
Italian Reports on, 256
Liver-changes found at Autopsies, 357
Malaria as Associated with, 252, 253, 254, 357
Mortality, 252, 254
Parasites, Malarial, observed in, 252, 254, 357
Plasmodia in
P. falciparum, 252, 254
Post-mortem findings in Liver, 357
Prophylaxis
Antimalarial Measures, 251, 252
Quininisation, 252
Quinine in relation to, 252, 354
References to Literature, x, l–li
Report of Institute for Medical Research, Kuala Lumpur, on Blackwater Fever, 357
Schedule for Recording Cases, Stephens', 254
Symptoms, 252
Singultus a bad Prognostic, 254
Treatment by
Antimony, 358
Nephrine, 358
Wild Plumbago Root Decoction, 358
Yellow pigment found at Autopsies, 357

Carrion's Fever, *see* **Oroya Fever**

Cholera
Bacteriology
Vibrio Cholerae, Glycerin as Selective Poison for, 379
in the Philippine Islands, 379
References to Literature, x–xii, li–ii

Dermal Leishmaniasis, *see* Tropical Sore, *under* **KALA AZAR**

Disease Prevention, *see under* **HYGIENE, APPLIED, IN TROPICS**

Dracontiasis, *see under* FILARIASIS, *in* **HELMINTHIASIS**

DYSENTERY (BACILLARY, FLAGELLATE, and UNCLASSED, *see also* AMOEBIC, *under* **AMOEBIASIS**, 213–24
BACILLARY, 213–18
Amoebae associated with Bacilli in, 213
Bacteriology, 213 *et sqq.*
Bacilli found in, 213
Isolation methods, 213
in Stools, in proportion to Amoebae, 223
Several varieties found in Same Stool, 213
B. dysenteriae, Septicaemia from Bacillus isolated in Life-time, 217
Flexner, 213, 216, 217, 222
Hiss, 213
Morgan form, 217
Pseudodysenteric forms, 216
"Saigon," 213
Shiga or Shiga-Kruse form, 213, 216, 217, 222
"Van der Bosch" form, 216
Colitis complications due to, 217
Variations in, and in Disease due to, in different Localities, 217
Y-form, 216
B. pyocyaneus in Stools in, 218
Diagnosis, Differential, by Coproscopy, 221, 222–3
Form due to Shiga-Kruse Bacillus, difference from other forms, 216–7
Incidence
Class
Asylums, 213–5
Coolies, 215–7
Geographical
India (Madras), 214–5
Italy, 218
Morocco, 222–3
New Guinea, 374
Philippine Islands, 217–8, 376
Saigon, 213
Sumatra, 215
Thursday Island, 374
Seasonal, 213
Mucus in, Observations on, 222–3
References to Literature, xii, lii–iv
Technique for Stool-Examination, 213
Transmission by Carriers (Nomads), 374
Treatment
Antiseptic Mouth-wash, 218
Calomel, 218

Dysentery—*cont.*
BACILLARY—*cont.*
Treatment—*cont.*
Dietetic, 218
Drugs Contraindicated, 218
Enemata of
Hydrogen peroxide, 218
Normal Saline, 218
Magnesium sulphate, 218
Serum, 216–7
When unsuccessful, 218
Simaruba officinalis with opiate, 218
Sod. Sulphate, 218
Vaccine, when unsuccessful, 218
Water-Supply in relation to, 376

ASYLUM FORM, 213–5
Amoeba histolytica rare in, 214
Balantidium coli in, Fatality to cases, 214
in India, 213–5
Prophylaxis, 214–5
Treatment
Albargin and Pot. Permang. Lavage, 215
Castor Oil with Boric Acid, 215
Emetine, 214
Serum, 215, 221
Vaccines, Autogenous, and Polyvalent, 214, 215, 221
Heroic dosage, 221

FLAGELLATE
Balantidium coli, in Apparently Healthy persons, 220
Incidence
Geographical
Peru, 219
Lamblia intestinalis as cause, 220
Lambliasis, 220
Causal agent, 220
Treatment
Calomel, 220
Castor Oil, Aromatic, 220
Milk Diet, 220
Trichomoniasis
Incidence, Geographical
Peru, 219
Treatment
Dietetic, 219
Enemata of
Boiled Water, 219
with Egg Yolk, Laudanum, Essence of Turpentine, 219
Iodine, 219
Fomentations, 219
Franck's Emulsion in combination with Paregoric &c., 219 *&n.*
Peruvian prescription, 219 *&n.*
Rest, 219

Dysentery—*cont.*
UNCLASSED, or MIXED, 220–4
Historical resumé, 220–1
Incidence
Geographical
India, 221–2, 224
in Jail, 221–2
References to Literature, xii–xiii
Treatment
Bismuth Subnitrate, 221
Camphorodyne, 224
Dietetic, 222
Emetine, 221–22
Holorrhena liquidum, 222
Ixora cocci, 222
Ipecacuanha, 222, 224
Magnesium Sulphate, 224
Saline, 222
Sod. Sulphate, 222

Elephantiasis, *see under* FILARIASIS, *in* **HELMINTHIASIS**

ENTOMOLOGICAL REFERENCES, *see also* Anopheles *and* Mosquitoes, *under* **MALARIA**; Fleas, *under* **PLAGUE**; *Phlebotomus, under* **PAPPATACI**; *Simulidae, under* **FEVER**; *and Stegomyia, under* **YELLOW FEVER**
Anopheles
jamesi, Salivary secretion of, 313
rossi, Salivary secretion of, 313
Anticoagulin in Salivary secretion of Blood-sucking Insects, 312, 313
Ants and Bees as Carriers of Pathogenic Micro-Organisms, 310–11
B. typhosus Infection borne by, 310
Feeding methods (in nature), 311
Monomorium destructor, suspect as Carrier of Bubonic Plague, in India, 310
Solenopsis geminata as Disease-Spreader, 311
Bed bugs
Cimex lectularius, Eggs and Larvae, as affected by Temperature, Submersion and Burial, 311-12
rotundatus, Salivary Secretion of 313
Bees, Stingless, *Trigona* genus, as possible Carriers of Germs, 311
Biting Arthropods and Ticks, References to Literature, xliii, lxxi–ii

Entomological References—*cont.*
Blood-sucking Insects, Salivary Secretion of, in relation to Skin Irritation from Bites by, 312–3
Cockroaches as Germ-carriers, 310
Conorhinus rubrofasciatus, Salivary Secretion of, 313
Mosquito-work, in Ceylon, 305–7
Philoematomyia insignis
Salivary Secretion of, 312
Anticoagulin in, 313
References to Literature, xliii, lxxi–ii
Tabanus albimedius, Salivary Secretion of, 313
Ticks
Argas persicus, Salivary Secretion of, 313

Espundia, *see under* **MISCELLANEOUS**, *see also* TROPICAL SORE *under* **KALA AZAR**

FEVERS IN TROPICS (Unclassed) and **Dengue**; *see also* **MALARIA, Oroya Fever**, *and* **PAPPATACI FEVER**
Bacilli of Typho-coli group, Researches on, 360
Bacillus Asiaticus 1 and 2, and *B. columbense*, Inter-relations; Classification; Reactions, 360
B. columbense Inter-relations, Classification and Differentiation of, 360
B. paratyphosus B., Differentiation from *B. columbense*, 360
Dengue, in Queensland, 374
References to Literature, xiii, liv
Fiebre Roja, at Caracas
Differentiation from Dengue, 362
Forms Resembling elsewhere, 362
Symptoms, 362
Fièvre Boutonneuse, or Macular Fever
Incidence: Geographical
Khartoum, 362
Tripoli, 362
Tunis, 362
Symptoms, 362
Vectors (possible), 362
Macular Fever, *see* Fièvre Boutonneuse *supra*
Malaria (*q. v.*), at Peshawar
Treatment by
Amylopsin, 362–3
Quinine, 363
Para-typhus Fever, in Korea
Incidence, Seasonal, 361
Symptoms, 361

Fevers in Tropics—*cont.*
Pseudo-Typhus Fever
Blood-conditions, 361
Incidence
Geographical
Japan, 360
Philippine Islands, 360
Sumatra, 360
Seasonal, 360
Symptoms, 360–1
Vectors (presumed), 360
References to Literature, xiii, liv
Sand-fly Fever, at Peshawar
Blood-conditions, 362
Prophylaxis, 362
Slow Recovery, 362
Three-day Fever, *see* Sand-fly Fever, *supra*

Filariasis, *see under* **HELMINTHIASIS**

Guinea - Worm, *see* **DRACONTIASIS**, *under* **HELMINTHIASIS**

HELMINTHIASIS, 13–17
General and Unclassed
Intestinal, Shari River Region, 87
References to Literature, xvi, lv
Vesical, Shari River Region, 87

Cestode Infections
TAENIASIS
References to Literature, xiv, liv

Nematode Infections
Ankylostomasias
Incidence
Age (Children), 441
Geographical
Grenada, 441
New Guinea, 375
Queensland, 375
Parasites causing
A. duodenale, in Queensland, 375
Necator Americanus, in New Guinea, 375
Queensland, North, 375
References to Literature, xiv–xv, liv
Symptoms, 252
ASCARIASIS, References to Literature, xv .
DRACONTIASIS
Guinea-worm percentage, in Cyclops, in Indian Village Well, 16
Incidence
Geographical
India, 16–17
Sex, 16
References to Literature, xvi, lv

Helminthiasis—*cont.*
Nematode Infections—*cont.*
FILARIASIS
Elephantoid Swellings, *see* Mu-Mu, *infra*
Endemic Index for, Congo-Kamerun Frontier, 13–14
Filaria and Micro-filaria of
F. bancrofti, in Congo, 13, 14
F. loa, *Chrysops centurionis* as intermediate Host of, 13
on the Congo, 13, 14
F. nocturna, Infection in Prisoners, Leyte, 376
F. perstans, Common on the Congo, 13, 14.
Intermediate Hosts, in Congo-Kamerun region, and in S. Nigeria
Chrysops, 13
C. centurionis, 13
C. dimidiata, 13
C. longicornis, 13
C. silacea, 13
Incidence
Geographical
Congo, French, 13
Kamerun, 13
Philippine Islands, 376
Queensland, 375
Samoa, 14
Mu-Mu Fever in Samoan Boys, 15
Treatment by
Antifebrin, 15
Antipyrin, 15
Phenocoll, 15
Quinine, 15
References to Literature, xv–xvi, liv–v
Symptoms, 14

Various Forms
ELEPHANTIASIS, Filaria associated with, 13
CHYLURIA
Nitrogenous Metabolism in, 15–16
Protein-estimation in Urine in, 15–16
ONCHOCERCIASIS
Onchocerca volvulus and, 13
OXYURIASIS, References to Literature, xv
TRICOCEPHALIASIS, References to Literature, xv
TRICHOMONIASIS, *see* **DYSENTERY** FLAGELLATE

Trematode Infections
SCHISTOSOMIASIS
References to Literature, xiii–xiv, liv

KALA AZAR (and **Tropical Sore**), 257–79, *see also* pp. 280, 281, 282, 288, 289–90
in Animals, *see* **Canine,** *and* **Experimental,** *infra*
HUMAN AND GENERAL
Action of
Human Blood Serum, on *L. donovani* cultures, 266
Serum of Kala Azar, cases on Cultural Forms of Leishmania of Human and Canine origin, Experiments on, 270–1
Antigen used in Complement-Deviation Investigations, 258
Bodies of Unknown Nature in Faeces, 272–3
Complement-Deviation Reaction in, 258
Complications, 258
Cultural Experiments, 260, 261, 265
Diagnostic methods, 267, 268
Immunity, Racial, 262
Incidence
Age, 262
Geographical
Assam, 262–4, 270
China, 267–8
Greece, 268, 269
Hydra, Isle of, 268
India, 267
Italy, 257, 268
Khartoum, 265
Malta, 266
Sicily, 258, 268
South America, 269
Sudan, 265, 266
Irregularity in, 259
Leishmania
Blastomycetes Resembling, 273
in Blood in, 262, 263, 267, 268, 273
of Canine and Human origin, as affected by Serum of Kala Azar Patients, Experiments on, 270–1
Cultural Experiments, 257
under Aerobic and Anaerobic conditions, 257
from Blood, 273
Infections by, Problems concerning, 259, 260
in Spleen, 266, 267
L. donovani, *L. tropica* in relation to, 260, 261
L. infantum, *L. tropica* in relation to, 260
Not found in
Ceylon, 266
Egypt, 266

Kala Azar—*cont.*
HUMAN AND GENERAL—*cont.*
Occurrence as Concomitant Infection with Filariasis, 266
Prophylaxis
Segregation and Re-housing, 270
Racial Immunity of Jains, 262
Relation of, to Canine, 259; experiments on, 270–1
References to Literature, xvi–xviii, lv-vi
Serum of Patients as affecting *Leishmania* Cultures, 270–1
Specific Agglutinius absent from Serum of Patients in, 266
Splenomegaly in, 384, 385
Blood-conditions in, 384
Symptoms, 266, 384, 385
Transmission by
Fleas, Proof lacking, 266, 267
Infected Persons, 262
Insects, Experiments on, 267
Phlebotomus sp. (possible), 263
in Sudan, Theories on, 266
Treatment by
Atoxyl, 266
Neosalvarsan, 262, 267
Salvarsan and Vaccines, 262
Tartar Emetic, 269
Vaccine, 262
Autogenous, 266
Two West Indian Islands apparently free from, 441

Variant Forms

INDIAN and other, possible Unity of Infective Agents, 261

INFANTILE, *see* MEDITERRANEAN

MEDITERRANEAN
Action of Spleen-juice from, on Mice, 257
Canine, in relation to, 258, 269, 270, 271
Double Infection in, 257
Incidence
Age, 267, 268
Geographical
Greece, 268, 269
Italy, 257
Sicily, 258, 268
Leishmania in Blood in, 257, 262, 268, 269, 273
Culture of, 273
Micrococcus Melitensis Infection in, 257
Recoveries, 268

Kala Azar—*cont.*
HUMAN AND GENERAL—*cont.*
Variant Forms—*cont.*
MEDITERRANEAN—*cont.*
Treatment
Antimony tartrate Injections, 269
Neosalvarsan, 267

Canine, *see also* pp. 280, 281
Association with Human, 269
Experiments on, 270–1
Rarity of, 258, 259
in Relation to Mediterranean, 258
Diagnostic Methods, 258
Incidence
Geographical
Greece (probable), 269
Italy, 258
Irregularity in, 259
Leishmania found in Liver, 258
Action on, of Serum of Kala Azar cases, Experiments on, 270–1
L. tropica as Causal Agent, 259
Resemblance to Human, 259, 270–1

Experimental
Coccal Bodies in, 260, 265, 271, 272
Immunity to both Viruses, in a Monkey, 259
Leishmania employed
L. donovani, 257
Cultures of, Action on, of Human Serum, 266
L. infantum, 259
L. tropica, 259
Question as to real nature, 260
in Various Animals, Attempted and Successful
Dogs, by
Association with Infected Animal, 266
Fleas, 266
Infected Dog-marrow, 269
Kala Azar Cultures, 260, 265
Leishmania
L. donovani, 259
L. infantum, 259
L. tropica, 269, 278
Mice, 263, by
Leishmania
L. donovani, 259
L. infantum, 259
Cultures, 261
L. tropica, 259, 277–8
Cultures, 260, 261
Spleen-juice from Mediterranean case, 257
Locale of Parasites, 257
Monkeys, 260, 263, 264, by
Cultures of Kala Azar, 265

Kala Azar—*cont.*
Experimental—*cont.*
in Various Animals—*cont.*
Feeding with Kala Azar-Infected Material, 265
Leishmania
L. donovani, 259
by Row's methods: Results, 273
L. infantum, 259, 261
L. tropica, 259
Cultures, 260
Other Animals, 263, 264, 265
Symptoms, 260, 261

Tropical Sore, 274–9, *see also* pp. 289–90
Case ending Fatally from Tetanus, 279
Complement-Deviation Reaction in, 258
Diagnostic Methods, 277
in Dogs, probably due to *L. tropica*, 259
Dogs as Vectors, 276
Histo-pathology, 275
Immunity conferred by Natural Recovery, 258
Incidence
Climatic, 274
Geographical
Algeria, 278
Egypt, 266, 275
India, 276, 277
Italy (Ravenna), 275
Persia, 279
Peru, 274
South America, 269, 274, 279
Sudan, 274–5
Turkestan, 276
Seasonal, 276
Insect vectors, 276
Leishmania of
Flagellate forms Observed, 279
L. tropica, Causal agent, 274
Cultures of
Experiments with, on Animals, 260, 261, 277
from Italian Case, 258
Long-retained Virulence of, 278
Relation of, to
L. donovani, 260, 261
L. infantum, 260
Prophylaxis; Vaccine, desirability of, 274
References to Literature, xviii–xix, lvi
Symptoms, 274, 275
Transmission by
Dogs, 276
Insects, 276
Simulium (alleged), 274
Treatment
Carbon Dioxide Snow, 276–7

Kala Azar—*cont.*
Tropical Sore—*cont.*
Treatment—*cont.*
Dressings, 258
Iodine, Tincture of, 258
Ointment, 258
Neosalvarsan, 258, 274
Salvarsan, 258
Surgical Methods, 258
Tartar Emetic, 258, 269

Various Forms
American Leishmaniasis, 259, 274
Dermal (or Cutaneous) Leishmaniasis, 259, 274
Experimental, in
Mice, 260, 261, 277
Monkeys, 259, 260
Naso-Oral, resembling Espundia, 274–5

Leishmaniasis, Dermal, *see* Tropical Sore, *under* **KALA AZAR**

LEPROSY, 325–36
Avian Tuberculosis in Man, Simulating, 336
Bacteremic nature, 329
Bacteriology
Bacteria and Micro-organisms of
B. leprae, Acid-fast rods resembling, 327
found at Nairobi, 386
in Urethritis, 328
Duval's, Metabolism of, 334
Morphology of, 334
Hansen's, Behaviour of, *in vitro*, 333–4
Rivas & Allen's Mode of Demonstrating, 329
"True," *see* Duval's, *supra*
Cultures, Four Groups of, 333
Diphtheroid or other forms in Lesions; problems raised by, 333
Streptothrix, Non-acid fast, from Spleens of (dead) Lepers, experiments with, 334
Summary of Literature, on 333
Chigger as Vector, 326–7
Contagiousness, 325, 326, 331
Curability, 332
Decline: Causes, 331, 335
Diagnosis, by Laboratory Methods, 329
Fish in relation to, 326, 330
Siluridae inculpated, 326
Historical references to Spread and Decline, 331, 335
Immunity Reactions; Results, 333

Leprosy—*cont.*
Incidence
Age, 325
Geographical
Argentina, 326
Australia, 329, 374
Bosnia, 336
Brazil, 327
China, (Yunnan), 376
Dutch East Indies, 331
England, 335
France, 326, 335
German East Africa, 443
Italy, 326
Ivory Coast, 325
Kordofan, Southern, 326
New Guinea, 374
Nigeria, Northern (Sokoto), 326, 330
Norway, 332
Philippine Islands, 329, 333, 376, 380
Tripoli, 327
Turkey, 335
U.S.A., 332, 333
Historical, 331, 335
Racial, 327, 329, 331
Inoculation Experiments, 331, 333, 334
Insect Vectors, *see* Chigger
Leprosaria, suggested and actual, in U.S.A., 332
Leprosy-cultures, described, 333
Luetin Reaction and, 381
Modern and Biblical, Non-Identity, 335–6
Phthisis suggested as successor, 335
Prophylaxis
Cleanliness, 331, 332
Hygiene, 331
Sanitation, 331, 332
Segregation, 325, 331, 332, 335, 376
Pulmonary Conditions during, and after Death, 327–8
Rats, Chiggers attacking, in regard to spread of, 327
References to Literature, xix–xxi, lvi–vii
Sanatorium Treatment, suggested, 332
Scabies in relation to, 330
Segregation, *see under* Prophylaxis
Symptoms, 325, 326, 327, 328
Absence of Sweating, 327
Biblical variety, 335
at Various Ages, 325
Tabes dorsalis in, without history of Syphilis, 443
Transmission by
Chiggers, 326–7
Contagion, 325, 326, 331
Treatment by
Chaulmoogra Oil, 332
Orally given, 329
Mixture, 329–30

Leprosy—*cont.*
Treatment by—*cont.*
Hot, or Heat, Baths, 330, 332
Iodoform, Intravenously given, 330
Local Nasal, 331
Nastin (discredited), 332
Nursing, 331, 332
Oleum gynocardiae, 331
Pilocarpin, 327
Radium, 330
X-Ray, 329
Vaccine, Autogenous, in Tubercular Case, 331
Tuberculin and other Reactions in, 327, 328
Urethritis due to, 328
Vitiligo of Leprosy, Differentiation of, from that of Syphilis, 328
Wassermann Test in, 380, 381

Various Forms
ANAESTHETIC, 328
BIBLICAL, 335–6
MIXED, 327, 328, 377
K_3 in, Action of, 387
NERVOUS, 326, 330, 377
PULMONARY, 326–7
TUBERCULAR, 326, 327, 328, 331, 377
UNILATERAL, 328

RAT LEPROSY, Bacteriology of, Summary of Literature, 333
from Brazil, 336

MALARIA, 34–54, 239–51, 337–53
Algae-destruction, Copper Sulphate for, 349
Alkaloids of Quinine, *see under* Cinchona
Analysis of Cases Treated at Manila (1913), 343
Anophelines associated with, 36
Avidity for Human Blood, Studies on, 337–9
Breeding-places, 39, 41, 43, 305–7, 308, 337, 350–1
Changes in, 306–7
Impounded Waters, 350–1
Ponds, Conditions affecting, 242, 243
Dissections of; Oocysts and Sporozoites found, 337, 338
Distribution, 39, 40, 41
Tables of, 247, 340–1
Africa, 247

Malaria—*cont.*
Anopheles—*cont.*
Distribution—*cont.*
America
Central and South, 247
United States of, 242–3, 350–1
List of, 247
Andaman Islands, 340
Asia, 247
Ceylon, 305, 306, 307
China (Yunnan), 377
Europe, 247
Formosa, 340
India, 239, 240, 340
Malaya, 308, 339–40
Oriental Region, 339–41
Panama Canal Zone, 247, 337
Philippine Islands, 241, 247, 338–9
Sumatra, 340
West Indies, 247
Habitat, in relation to Domestic Dwellings, 337, 339, 353
Infection Experiments, 337–9
Larvae, Collected among Collections of Pine-needles on Artificial Lake, 351
Losses to Rural Industries through Infection by, 352–3
Malaria-transmission, Biology of, in Malaya, 308
Mode of Determining Transmission-Ability, 337–8
Prevalence of, in relation to Malarial prevalence, 239, 308, 337
Sporozoite development in, as evidence of Transmission-Ability, 337, 338
Transmission-Ability of,
Determination Methods, 337–8
Variations in, 337
Transmitting Malaria in Malaya, 339–40
I. Valid Species, 340
II. Synonyms, 340
III. Errors in Identification, 340

List of those referred to
aitkeni, 340
albirostris, 340, 341
albotaeniatus, 308, 340
annulipes, 340, 374
aurirostris, 340
barbirostris, 39, 41, 308, 338, 339, 340
brevipalpis, n. sp., 308
crucians, 351
culifacies, 39, 41, 239, 340, 341
febrifer, 338, 339
formosaensis, 340
fowleri, 39
fuliginosus, 39, 41, 239, 340, 341
jamesi, 41

Malaria—*cont.*
Anopheles—*cont.*
List of, &c.—*cont.*
karwari, 43
kochi, 43, 308, 340
leucosphyrus, 43, 308, 340
listoni, 340, 341
ludlowi, 41, 308, 340, 341
maculatus, 43, 308, 338, 339 340, 341
maculipalpis, 39, 340
maculipennis, 377
malefactor, not a Transmittor, 337
nigerrimus, 41
nigrans, 340
punctipennis, 350
punctulata, or *punctulatus*, 39, 308
quadrimaculatus, 350, 353
rossi or *rossii*, 39, 41, 239, 241, 338, 339, 340, 341
separatus, 308
sinensis, 39, 43, 338, 339, 340, 341
stephensi, 41, 239, 340
tessalatus, 340
umbrosus, 308, 340, 341
watsoni, 340
wellingtonianus, 340
Nyssorhynchus group, 341, 374, *see also fuliginosus, maculatus, stephensi*
Anti-malarial Action of Quinine, on what dependant, 250–1
Anti-malarial and Anti-mosquito Measures, actual and suggested, *see under* Prophylaxis
Arising in Non-malarial District, 342
Bacteriological Demonstration of, Nairobi, 386
Bergamot Oil and Kerosene as Mosquito-repellant, 248
Birds as Preventives, *see* Ducks, & Swallows
Blackwater Fever in relation to, 252, 253
Blood-conditions in, 243–4
Carriers, *see under* Transmission
Cases of Medico-legal interest, 44
Cerebral Changes in, in Malignant case, 245
Chemotherapy, *see* Cinchona Derivatives, Prophylaxis, & Treatment
Cinchona Derivatives; Inquiry, summarised, 49–51
Lethality of, relative, 50
Molecular Construction and Pharmacological Action of the More Important, 250–1
Alkaloids, How obtained, 50

Malaria—*cont.*
Cinchona Derivatives—*cont.*
Alkaloids—*cont.*
List of, with references to Sources and Lethality
Cinchonine, 50, 51
Cupreine, 51
Hydrochlorides, Ethyl-hydrocupreine, 50 *&n.*, 246, 251
Hydroquinine, 50, 51
Synthetic preparation of, 51
Sulphates, 50
Quinetum, 49
Quinidine, 50
Quinium, 49
Quinoidine, 49
Cinders, for Filling-up Ground, 349
Citronella Oil and Vaseline as Mosquito-repellant, 248
Commission on, of Southern [U.S.A.] Medical Association, Report of, 351
as Complication of Puerperium, 343–4
Copper Sulphate for Algae destruction, 349
Diagnosis
Blood-examination in, 49
Spleen-puncture in ; when justifiable, 49
Early, of *Plasmodium falciparum* Infection, value of, 345, 347
Errors in, Sources of, 347
Diminution in, 52
Ditch-making, for Anti-malarial Drainage, 344–9
Ducks as Preventives, 309
Epidemics, Etiology, 36, 38
Etiology, 34, 36, 38
of Epidemics, 36, 38
Floods, 36, 38
Food-scarcity, 38
Irrigation, 38, 39
Standing Water in Shady Spots, 39
Filling-up ground, Cinders for, 349
Fish, Larvivorous, *see under* Prophylaxis
Gamete-formation from Insufficient Quininization as productive of Carriers, 341–2
Gametes, Action on, of Quinine, 347
Gametocyte formation in Infection by various Plasmodia in relation to
Anti-malarial Campaigns, 345
Prognosis, 345, 347
Quininisation, 345, 346–7
Guinea-pigs, Action on, of Quinine derivatives, 50, 51
Immunity, 35
Acquired and Relative, 35, 36
Racial, 38
Spleen-rate as Index of, 35

Malaria—*cont.*
Incidence
Age, 66
Children, 87, 441
Class and Occupational, 43
Naval and Military bodies
Indian, 51
Italian, 52
Rural workers, 352–3
Geographical
Anglo-Egyptian Sudan, 37
Australia, 374
Baghdad, 53
Borneo, 46
Brazil, 40
China (Yunnan), 377
Cuba, 44
Formosa, 246–7, 252
German East Africa, 249
Gold Coast, 243–4, 351
Grenada, 441
Honduras (Cuyamel), 345
India, British, 34, 51, 53, *see also* pp. 362–3
Amritsar city, 37
Bombay (Salsette Island), 39
Central Provinces, 39
Madras (Presidency and City), 38, 41, 51, 240
New Province of Delhi, 239-40
Northern, 37, 41
Punjab, 37–8, 240
Wynaad, 40
Portuguese (Goa), 40
Italy, 52
Malaya, 43, 308
Mauritius, 44
New Guinea, 342
New South Wales, 342
Palestine, 48
Panama Canal Zone, 241, 248, 306
Philippine Islands, 241–2, 249, 343
Russia (Moscow), 245
Transvaal, 342
U.S.A., 242, 243, 351, 352, 353, 386
Illinois, 244
North Carolina, 243
Southern States, 386
West Africa, 53
Racial
Burmese, 44
Chinese, 44
Seasonal, 37, 239, 344
Infection Percentage, in Malarious Countries, 34
Infectiousness of, Man to Mosquitoes, ratio of, 338
Infusoria, Action on, of Quinine derivatives, 50–1
Inter-Epidemic Periods, Observations on, in India, 38

Malaria—*cont.*
Larvicides and Larvicidal Measures, *see* Ducks; Fish, Larvivorous; &c., *supra, and under* Prophylaxis
Malarial Cachexia, Splenomegaly of, 386
Differentiation from Chinese Cases, 384, 385
Misdiagnosed for Blackwater Fever, 254
Mortality, 34
in Punjab Epidemic of 1908, 37
Mosquito-repellants, 248
Mosquitoes and (*see also* Anopheles), 34, 36
Bites of, Modes of Evading, 248
Breeding in Ponds, Conditions affecting, 243, 243
Breeding-places, Abolition of, 248
Destruction, *see also* Anti-malarial measures, Anti-mosquito measures, &c., *under* Prophylaxis, 37, 51
Distribution, 241, 247
Larvae, Capture and Breeding-out of, 40
Malaria-carrying, Lists of, with Habitats, 247, 340–1
Resting-places, Attack on, suggested, 39
Species found at Colombo, 305, 306
Traps for, 305–6
Culex ager, 43
Culex ludlowii, 241
Stegomyia (*see chiefly under* Yellow Fever) of Malaya, Proposed Distribution Study of, 308
Uranotaenia campestris larvae, Anopheline larvae often found with, 43
Oiling, *see under* Prophylaxis
Paramoecium caudatum, Lethality to, of Quinine derivatives, 50
Parasite rate, Fluctuation in, Punjab, 38
as Index of Amount, 37
Mindoro Island, 241
Parasites associated with, *see also Plasmodia, infra, & under* **Various Forms**
Action on, of combined Quinine, Salvarsan, and Methylene Blue, 246
Quininisation as affecting, 40
in relation to Splenomegaly, 39
Benign and Sub-tertian, Seasonal Variations in, India, 37
Extra-cellular, in Severe Case of *P. falciparum* Infection, 243

Malaria—*cont.*
Parasites associated with—*cont.*
Malignant Tertian or Tropical, as Cause of Fulminant form of disease, 36
Phagocytosis in, 244
Protean character of, Case illustrating, 343–4
Plasmodia in Blood of Non-Sick and Sick persons, in relation to Transmission, 341–2
Morphological Modifications of, 250
Schüffners' Dots in, 249, 352
P. falciparum, Infection by (see *also* Tropical, *under* **Various Forms**, *infra*), 36, 376
Fatal, 243–4
Possibility of Eliminating Infected Mosquitoes by Prompt Treatment, 345, 347
Treatment by Quinine Hydrochloride Injections, 344
P. falciparum quotidianum, 249
P. malariae Infections, 377
Speedy Gametocyte development, 345
P. praecox (in Children), Shari River Region, 87
P. tenue as differentiated from *P. falciparum*, 53 *&n.*
Others, from Africa and from Bagdad, 53
Considered as variant form of *P. vivax*, 250
One resembling, Morphological Peculiarities of, 351–2
P. vivax Infections, 376
Speedy Gametocyte development, 345
P. vivax, var. minuta, 249, 250
Pregnancy as affected by, 244–5
Prophylaxis and Anti-malarial Campaigns and Measures
Algae-destruction, Copper Sulphate for, 349
Anti-malarial Campaigns
Need for Knowledge of Anophelines, their Distribution and Ability to Transmit Malaria, 337
Ceylon, 305–7
Formosa, 246–7
Honduras, Clinical Report on, 345–7
Italy, 52
Anti-mosquito Measures
India: Results, 51
Khartoum: Results, 37
Cultivation, 345
Drainage, 345
Ditch, 347, 348

Malaria—*cont.*
Prophylaxis, &c.—*cont.*
Drainage—*cont.*
Special Anti-Mosquito Type, 347–9
Sub-surface, 348–9
Ducks as Larvicides, 309
Esanophele Pills, 246
Euquinine, 246
Filling up Ground, Cinders for, 349
Fish, Larvivorous, in relation to, 51–2, 351
in Delhi New Province, 239
Experiments with "Millions" at Kuala Lumpur, 308
at Madras City, 51–2
Minnows, 351
Koch's Method, 249
Oiling, Larvicidal, Quantity, Kind, and Methods, 349–50
Quinine and Quininisation, 52, 252
Disparagement of, 248
Dosage, 51, 248
Forms employed for Carriers, Formosa, 246–7
Ineffectiveness of; Causes, 251
Intramuscular Injections, 44–5
Length of use requisite, 45
Limit of Attack-rate under, alone, 52
Military Usage, U.S.A., 248
Muriate tablets, 246
Systematic use; Results, 40
Screening, 345
Successful
Panama Canal Zone, 248
U.S. Army, 248
in reference to Troops, India, 51
Quinine and, *see also* Cinchona, *and under* Prophylaxis, *and* Treatment
Action of, on Morphology of Plasmodia, 250
Not on Plasmodium, but on Erythrocyte, 346–7
Anti-malarial action of, on what dependent, 250–1
References to Literature, xxi–v, lvii–ix
Rice Cultivation in relation to, 38–9, 307, 377
Rubber, and other Trees, Size &c. of, in relation to, 307, 351
Spleen-rates in
Census of, in
Children, Madras City, 41
Salsette Island, 39
in Children, 34, 37, 39, 41
in relation to Fulminant form, 36
as Index of
Amount, 37
Tolerance, 35
India, 38, 39, 41, 46
Mindoro Island, 241

Malaria—*cont.*
Spleen-rates in—*cont.*
Plantations and Villages, ratio between, 307, 308
Variations in, in
Subtropical, 35
Tropical, 35
Splenomegaly of, *see also* **Splenomegaly, Tropical**
in Carriers, Esanophele Pills for, 247
Chronic of, Possible Reduction, 49
Treatment, 48
Change of Climate, 49
Ergotine, 49
Iron, 49
Methylene Blue, in Pill-form, 49
Quinine, Intramuscularly given, 49
Quinine, Arsenic, Opium and Mercury, combined, in Cachets, 48
Serum, Artificial, Injections of, 49
Sodium Cacodylate, 49
Stereo-isomerism in reference to Effectiveness of Quinine, 251
Stylonchia, Lethality to, of Quinine derivatives, 50
Sulphates of Quinine, *see* Quinine, *under* Treatment
Swallows as Preventives, 309
Symptoms, 46, 47, 243, 244–5, 342, 343
Catarrhal, 342, 343
Cerebellar, 43, 44
Nervous, 43, 44
Tremor of Jaw, 245
Pains associated with, 342
Post-malarial, 44
Splenomegaly (*q.v.*), *supra*
Transmission by
Carrier Cases: Importance of Treating, 51
Prophylactic Treatment of, 246–7
Those not ill and not having been ill, the Chief, 341–2
Insects, *see Anopheles, and* Mosquitoes
Treatment (*see also* pp. 362–3), 45
Amylopsin, 344
Anti-haemolytics, in intervals of Quininisation, 48
Calcium Chloride, 48
Cholesterin, 48
Cinchonine, Causes of Ineffectiveness, 251
Cupreine, Causes of Ineffectiveness, 251
Diet, 346
Ethyl-hydro-cupreine, 50 *&n.*, 246, 251

Malaria—*cont.*
Treatment—*cont.*
Laxative, 346
Magnesium sulphate, 346
Euquinine, 245
Hectine, 47, 48
K_3 (Salvarsan Copper), 387
Opiate and Pills of Gaffard d'Aurillac, 42
Optochin, *see* Ethyl-hydro-cupreine, *supra*
Pancreatic, 344
Pepper, 250
Piperidine, 250, 251
Quinine, 345, 346, 347
After-effects (possible), 47
Dosage, in relation to Action, 47
Effect on Infection of Mosquitoes, 338
Insufficient, Effect of, in producing Carriers, 341–2
Intramuscular administration of, 44–5
After-pains from, 47
Modes of Administration, 346
Orally given, 45, 46, 47
Bihydrochloride, Variously given, 45, 46, 47, 344
Water for Solution, Hints on, 344
Hydrochlorate, 246
Salt, Soluble, with Sod. Brom., and Sod. Chlor., in Isotonic solution, 346
Sulphate, 46
Urea-hydrochloride with, 47
Iron and Arsenic Tonic with, 46
Rest, 346
Salvarsan, and Methylene Blue in Combination. 246
Sod. Bromide, with Quinine, 346
Splenectomy, 49
Trypsin, 344
Warburg's Tincture, 45
Water, Impounded, in relation to, 242, 243, 350–1
Wire Netting against Mosquitoes, Mesh-sizes, 248
Working Time lost, by Malarial Infections, Rural Industries, U.S.A., 352–3

Various Forms

AESTIVO-AUTUMNAL
Jaw Tremors during, 245
Results in, of Quinine hydrochloride, 344
Two forms of Plasmodia in, 249

ATYPICAL, Latent, in Illinois, 244-5

BENIGN, Parasite of, Varying Amoeboid activity of, 53

Malaria—*cont.*
Various Forms—*cont.*
CHRONIC, Curability and Improvement possible in, 48–9
Splenomegaly of, 386

ENDEMIC
(*a*) Tropical, 34, 35
(*b*) Sub-Tropical, 34, 35

EPIDEMIC or FULMINANT, 34–5, 36
(*a*) Fulminant, 34, 35, 36
(*b*) Epidemic,
Generalised, 34, 36
Localised, 34, 36
Incidence of, 34, 35, 36, 43

FULMINANT, *see* EPIDEMIC, *supra*

MALIGNANT, Cerebral changes in, 245

PERNICIOUS, Cerebellar and Nervous Conditions in, 43–4
Fatalities in, possible Cause, 46
Treatment by K_3, 387

QUARTAN, 43, 243
Action in, of K_3, 387
in Formosa, 252
Parasites of, 352
Associated with higher degrees of Splenomegaly, 39
Plasmodium of, *P. vivax* var. *minuta*, confounded with, 249

RELAPSE, 344

REMITTENT, Mis-diagnosed for Enteric, 343

SUB-TERTIAN, 43
Parasites of, Amoeboid forms, varying activity of, 53

TERTIAN, in Formosa, 252
Parasite of, in relation to Fulminant, 36
in Post-puerperal period, 245
Potassium Excretion during, 54
Solitary case, N.S. Wales, 342
Benign, 43
Malignant, in Somaliland, 232

TROPICAL [*P. falciparum* Infection], (*see also* ENDEMIC, *supra*), 34, 35, 36
Cases with Unusual Sequelae, 44
Prognosis as to Mosquito Elimination, 345, 347
Treatment by Quinine-hydrochloride Injections, 344

Malta Fever, *see* **UNDULANT FEVER**

MISCELLANEOUS, 305–17, 371–88, 433–46
Absence of Anophelines, and of Malaria, from Barbados, 441
Anaemia
Acute Febrile, in Sardinia, presumably due to Bean-Eating, 438–9
Tropical, 371
in Queensland, Blood Conditions in Children of European Descent in, 371–2
Arneth Index, Description of, 373
of American and Filipino Soldiers in the Philippines, 372–3
of Children (White), in Tropical Queensland, 372–4
Australia, Northern
Diseases prevalent, 374–5
Suitability to White Colonists, 375
Temperatures in relation to, 375
Bacteriology
B. fusiformis, associated with Spirochaetes, Conditions in which so found, 382, 383
Bacteriological Reports of Nairobi Laboratory for 1913, 386–7
Bicho, El, in Venezuela, 441
Native Remedies, 441
Blennorrhoea, with Panophthalmitis in German East Africa, 443
Blood Parasites, *see under* Diseases due to each
Blood Smears and Staining Methods
Lucidol, 388
Romanowsky, 388
Bronchitis, in the Philippines, 376
Broncho-Pneumonia in the Philippines, 376, 380
Bubo, Climatic, in Calabria and Sicily, 440
Caraate, a Skin Disease of Colombia; nature of, 442
Children of European Descent in Tropical Queensland, Blood Conditions of, 371–4, 375
Climate, &c., as affecting White Race in Tropics, 371, 374–5
Cold-Forest-Disease of Chamorro; Nature; Sex and Age Incidence; Symptoms, 440
Colitis, Forms met in the Philippines, 379, 380

Miscellaneous—*cont.*
Conjunctivitis, Granular, in Morocco, 378
Transmission by Nomads, 378
Depopulation, and its Causes, Loyalty Islands, 377
Dermatobia hominis eggs, carried by *Janthinosoma*, 442
Dirt and Disease, 377, 378
Diphtheria
B. diphtheriae, Glycerin as Selective Poison for, 379
Diseases in the East, Distribution and Spread, 374–5
Prevalent in
Northern Australia, 374–5
Philippine Islands, 375–6
in which
Spirochaetes and *B. fusiformis* are found associated, 383
Splenomegaly is met, in Southern States, U.S.A., 386
Distribution and Spread of Diseases in the East (Stewart Lectures), 374–5
Dressing for Tropical Use, Mastisol as, 445
Espundia (*see also* TROPICAL SORE, *under* **KALA AZAR**) in Colombia, 442
Leishmania as cause of, 442
Faeces for Examination, New Instrument for Obtaining, 445–6
Favism, in Sardinia, 438–9
Framboesia, Incidence of
Guam, 381
Philippine Islands, 381
Gangosa, Incidence of
New Guinea, British, 375
Torres Straits Islands, 375
Syphilis Identified with, 380, 381
Gastro-enteritis, in the Philippines, 376
Glossina longipennis, Experiments on Animal reactions of the Trypanosome conveyed by, 386–7
Glycerine and its Germicidal Powers, in Various Conditions, and on Various Micro-organisms, 378–9
Goitre, in Animals; Where Prevalent, 435
Incidence in Man
Age, Class and Sex, 435
Geographical
India, Distribution of, 434–5
Yunnan, 377
Iodine-holding Well-waters, Curative of, 435
Temperature, Atmospheric, in relation to, 434–5

Miscellaneous—*cont.*
Goundou
Incidence
Age (in Child), 433–4
Geographical
Jamaica, 434
Tobago, 434
Trinidad, 433–4
Guayaquil, Lack of Sanitation at, 443
Haematology, Use in, of Benzol Peroxide (Lucidol), 388
Haemoglobin value and number of Erythrocytes in Boys and Girls (White) in Queensland, 371–2
Hepatic Abscesses with Blockage by Mycelium, in Cochin China, 444
Incidence of Diseases, &c., referred to
America, Central, 439
South, 442–3
U.S.A. (Montana), 433
Australia, 433
North, Tropical, 374–5
Queensland, 371–5
North, 437
Barbadoes, 441
British Columbia, 433
British East Africa (Nairobi), 386–7
China (Yunnan-fu), 376–7
Cochin-China, 444
Colombia (Bogotá), 442
Gambia, 384
German East Africa, 443
Grenada, 441
Guayaquil (Ecuador), 443
India, 434–5
Italy (Calabria), 440
Jamaica, 434
Ladrone, or Marianne Islands, 440
Loyalty Islands, 377
Morocco, 378
New Guinea, 374, 375
Peru, 443
Philippine Islands, 371, 372, 373, 374–5, 376, 379–80, 383
Sardinia, 438
Sicily, 440
Tobago, 433, 434
Tonkin, 443
Torres Straits Islands, 374, 375
Trinidad, 433–4
Venezuela, 441
Infant Mortality, High, Loyalty Islands, 377
Infectious Diseases in South America; Recent Investigation of, 442–3
Instrument, New, for Obtaining Stools for Examination, 445–6

Miscellaneous—*cont.*
Intestinal Lesions found in Autopsies, Manila, 379–80
Parasite-caused Diseases, Philippine Islands, 376
Janthinosoma, as Carrier of *Dermatobia hominis*, 442
Juxta-articular Nodules, in New Guinea, 375
Lead-poisoning amongst Children, in North Queensland, 437–8
Leishmania as Cause of
Espundia, 442
Uta, 443
Leucocyte changes, *see* Arneth Index, *and* Neutrophile Blood Count
Lucidol, or Benzol Peroxide, in Haematology, Uses of, 388
"Mal de Boca," in Central America; Causation; Symptoms, &c., 439–40
Mastisol, composition and uses, 445
Micro-organisms Tested as to Germicidal Powers of Glycerin, 378, 379
Mortality in the Philippines, 376
Mosquitoes found in, and absent from, Barbados, 441
Mouth and Throat Lesions, Philippines, shewing Vincent's Organisms, 383
Mycoses in Cochin China, in Natives and Europeans, 444
Neutrophile Blood Picture of Arneth Changes in, in Children in Tropical Queensland, 372–4, 375
in Filipino and American Soldiers in the Philippines, 372–3
Notonecta, as Larva-destroyer, 441
Organic Silver in Treatment of, "Mal de Boca," 440
Panophthalmitis with Blennorrhoea, in German East Africa, 443
Pernicious Fever, Action in, of K_3, 387
Pinta (or Caraate, *q.v.*), in Colombia, 442, 443
Fungi associated with, 442–3
Pneumonia
Death-rates, 315, 316, 317
Etiology, 314–5, 317
Incidence
Age, 317
Geographical
British Guiana, 315–7
England, 316, 317
Panama Canal Zone, 314, 315
Rhodesia, 314
Transvaal (Rand), 313–5
Inoculation for: Results, 315

Miscellaneous—*cont.*
Poor Whites, in Grenada, Diseases affecting Children of, 441
Pseudo-epithelioma of Penis, in Cochin Chinese, 444
Treatment by Iodides, 444
Quinine-distributing Agencies in the Philippines, 376
Rectitis, Epidemic of, Venezuela, *see, supra,* Bicho, El
References to Literature, xxxviii–xliii, lxvii–lxx
Rocky Mountain Spotted Fever, 435–7
Incidence
Geographical, U.S.A., (Montana), 435
in Small Mammals, 435, 437
Prophylaxis, 435–7
Arsenical Dipping, 435–6, 437
Destruction of Ground Squirrels, 435
Sheep-grazing, 435–6
Tick causing (*Dermacentor venustus*), 435
Biology, 436–7
Nomenclature, 437
Salvarsan-Copper, Experimental Treatment with, 387
Sanitation at Bogotá, 442
Lack of, at Guayaquil, 443
Sexual Hygiene, Lack of, and Consequences, Loyalty Islands, 377
Soot, as Rectal Plug, in El Bicho: other remedies for the same, 441
Spread of Disease by Nomads of Morocco, 378
Suggested Modes of Control, 378
Stomatitis, Tropical, Infectious, *see supra,* "Mal de Boca"
Syphilis as Cause of Mutilating Tropical Ulcerations, 381
Co-existent with Ulcus Tropicum, 383
Incidence of
Guam, 381
Philippines, 380, 381
Yunnan, 377
Identity of with Gangosa, 381
Treatment by Salvarsan Injections, 377
Tertiary, in Yunnan, 377
Syphilitic Chancre of Eyelid, in German East Africa, 443
Tabes dorsalis in Leper; non-Syphilitic, German East Africa, 443
Tick Paralysis
Dermacentor venustus in Experiments on, 433

Miscellaneous—*cont.*
Tick Paralysis—*cont.*
Experiments-technique, 433
Incidence
Age (in Children), 433
Geographical
Australia, 433
British Columbia, 433
U.S.A. (Montana), 433
Symptoms, 433
Tropical Problems in the New World, 441–2
Tumours, Malignant at Hanoi; Racial and Sex-incidence; Symptoms and Possible Causation, 443–4
Typhoid Fever, in the Philippine Islands, 379
and Paratyphoid, in the Tropics, References to Literature, xxxv–vi, lxv–vi
Typhus Fever, Lice in relation to, 378
Nomad-spread, Morocco, 378
References to Literature, xxxvi–vii, lxvi
Vaccine issues, Nairobi, 387
Violet and Ultra-violet Rays of the Solar Spectrum, Mode of Measuring (Comparative), in Tropical Australia, 375
Vincent's organisms, Diseases and Localities in which met, 383, 384
Water-supply, Nairobi, *B. coli*-like organism in, 387
White Race in Tropics
Blood Conditions in, in
Children, Queensland, 371–5
Men, American and Filipino, Philippines, 371–4
Ulcers, Intestinal, in Various Diseases in the Philippines, 379, 380
Unclassified Diseases of Children, &c., in the Philippines, 379–80
Uta, Etiology of, 443

MYIASIS, 9–12
Aural, Accompanying the Radical Mastoid Operation, 10
Incidence
Geographical
America
U.S.
Philadelphia, 10
Southern States, 9
Panama Isthmus, 9
France, 9
Italy, 9
Russia, 9
West Indies, 9

Myiasis—*cont.*
Aural—*cont.*
Larvae Associated with
Anthomyia pluvialis, 9
Calliphora vomitoria, 9
Lucilia macellaria, 9
Oestrus ovis, 10
Sarcophaga
carnaria, 9
magnifica, 9
Unidentified, 10
Treatment
Boracic acid Solution, 9
Carbolic acid, 9
Chloroform Vapour, 9
Iodoform gauze, 10
Creeping Disease, or Hautmaulwurf
Cases of, 10–11
Disease analogous to, 10
Treatment by Ethyl-chloride Freezing, 11
Intestinal
Anthomyia canicularis associated with, 11
Incidence
Geographical
America (Illinois), 11
Argentine, 11
England, 11
France, 11
Germany, 11
Scotland (Glasgow), 11
Sweden, 11
Treatment by Magnesium Sulphate, 12
Larbish, or Oerbiss, in Senégal, resemblance of, to Hautmaulwurf, 10.
Incidence
Geographical
Africa (West Coast), 10
Brazil, 10
Senegal, 10
Treatment by
Iodine (Painting with), 10
Sublimate Injections, 10
Larvae associated with, *see* Names *under* Aural, *and* Intestinal forms of the Disease
Dipterous, Posterior Stigmata of. as Diagnostic Character, 11–12
Species described, 12
References to Literature, xxv, lx

Onchocerciasis, *see under* **HELMINTHIASIS**

Oriental Sore, *see* **Tropical Sore,** *under* **KALA AZAR**

Oroya Fever, and **Verruga Peruviana,** 368–70, 443
Anaemia of, 368, 370

Oroya Fever—*cont.*
Bartonella bacilliformis, Causal agent of, 368, 369, 443
Blood-changes, 368, 369, 370
Clinical Study, 390
Diagnostic Difficulties, 368, 369
Etiology, 368, 443
Histological Changes, 368–9
Incidence
Geographical
Peru, 368, 370, 443
Seasonal, 368
Incubation Period, 368
Intracorpuscular Bodies found, *see Bartonella bacilliformis, supra*
Mortality, 368
Other Diseases Mis-Diagnosed for, 368, 369
Phagocytosis in, 369
Pigment-granules in, 368–9
References to Literature, lxviii
Relations between, 368
Symptoms, 368, 370
Virus of
Analogy with that of Small-pox, 370
Transmission Experiments, with 369–70, 443

PAPPATACI FEVER, 364–7
After-effects, 364, 365, 366
Clinical Description, 365
Epidemiology, 364, 366
Incidence
Age, 366
Class, 364, 366
Geographical
Algeria, 366
China, Northern, 366
Chitral, 366
Italy, Southern, 364–6
Mediterranean area, 364, 366
Sicily, 364, 365
Messina, 364
Spain, 364
Seasonal, 364, 366
Nomenclature, 365
Phlebotomus Flies in relation to
Breeding-places, 364, 365, 366
Destruction of, 364, 365, 366
Dissemination by Small Vessels, 364
Distribution
Algeria
P. minutus, var. *africanus*, 367
P. papatasii, 367
P. perniciosus, 367
China (unidentified species), 366
Italy, 364, 366
Mediterranean area, 364
Sicily, 364, 365
Messina, 364

Pappataci Fever—*cont.*
Phlebotomus Flies, &c,—*cont.*
Viability of, 364
Prophylaxis, 364, 365, 366
Rapid Spread and Large Numbers attacked, 365
References to Literature, xxv, lx
Symptoms, 365
Temperature, Atmospheric, in relation to, 366
Transmission, by Phlebotomus-Flies, 364–7
by Coasting, &c., Vessels, 364
Treatment, by Quinine Salicylate, 366

PELLAGRA, 55-69, 425–32
Aphthoides Chronica, as, 425
Bacteriology
Bacillus from
Nature of: Experiments with, 427
Pleomorphic in Bessarabia, 60
One resembling, 69
Streptobacillus in, in
Blood, 431
Faeces, 431
Blood conditions in, in the Sane, 69
Lymphocytosis, 57, 58
Streptobacillus in, 431
Blood Count in, 431–2
Bran in Food, and, 60
Cerebrospinal Fluid in, 57–8
Clinical Notes on, 55–7, 425, 427, 428, 429, 430, 432
Confused with Sprue, in West Indies, 425
Dermatitis of, 429, 430
Diagnosis
Sensory Symptoms as aid to, 62
by Pellagrogenin, 61
Diet in relation to, 55, 56, 57, 62, 64, 67–8, 425, 426, 427, 428, 432
Importance of Seeing Food given *is* Eaten, 55, 68
Dietetic Experiments with Maize, on
Animals, 62, 428, 432
Men, 432
Diseases associated with, in
America, U.S., 430
West Indies, 425, 428
Addison's Disease, 65–6
Erythema of, 429, 430
Uncommon Site for, 429
Etiology, Theories on
Absorption of Intestinal Poisons, 60
Aluminium-Intoxication, 67
Amino-acid Deficiency in Diet, 67
Bacteriological, 60, 69, 427, 431
Bran-lack in Bread, 60
Dietetic, 60, 67–8, 425, 426, 427, 428

Pellagra—*cont.*
Etiology, Theories on—*cont.*
as to Hyphomycetes, Schizomycetes, and Protozoa, 58
as to Organism found in Pellagrins, 427
Parasitic, 59, 60, 425
Protozoal, 68
in relation to Psychiatry, 58
Sewage-disposal in connection with, 56, 57
Silicic Acid Intoxication, 59
Simuliidae and, 56, 57, 58, 59, 425, 426
Social and Economic Matters in relation to, 58
Salt Deficiency and, 59
Sugar-cane Products and, 427
Vitamine Absence, 55, 67, 432
Experimental, Attempts and Result, 60–1
Symptoms, 431
Experiments with Bacillus, on
Animals, 427
Men, 427
Faeces, Strepto-bacillus in, 431
"Greatest Student of," 59, 60
Incidence
Age, 428
Children, 56, 57, 66, 428, 430
Researches on, 59, 60
Class and Occupation
Lunatics in Asylums, 55, 425, 428
Orphans in Asylums, 55
Others, 428
Soldiers, 68
Geographical
America, North
Mexico, North, 430
U.S., 63, 65, 425
Alabama, 430
Arkansas, 427
California, 64
Danvers State Hospital, 63
Georgia, 57, 67
Maine, 64
Minnesota, 63
North Carolina, 60, 63, 427
South Carolina, 55, 56, 57, 431
Southern States, 67, 427
Texas, 68
Antigua, 425
Austrian Tyrol (Rovereto), 430
Barbados, 425, 428
British Guiana, 425
Cuba, 63
Dominica, 425
Egypt, 65, 68
England, 66
Europe, 425
France (Landes), 58
Grenada, 425
Italy, 58, 60, 68, 428, 430, 431, 432

Pellagra—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Jamaica, 425, 428
Russia, 431
Bessarabia, 66, 69
St. Lucia, 425
St. Vincent, 425
South Africa (Transkei), 65
Spain (10th to 18th century), 425
Panama, Isthmus of, 425, 428
Trinidad, 425
West Indies, 425, 428
Racial, 63, 65, 68, 425
Sex, 56
Insect Vectors, suspect, *see also* Simulia, & Stomoxys
House-flies, 426
Lice, Bed-bugs, Ticks, &c., 426
Spiders, 68
Undescribed, 68
Instruction concerning, 59
Maize diet in relation to, 58, 63, 64, 69, 426, 430
Experiments with, on
Animals, 62, 432
Men, 432
Protective Substances in Epidermis of, 61
Maize Extract, *see under* Treatment, *infra*
Medico-Legal relations, 65
"Merositina" suggested as substitute-term for "Vitamine," 428
Milk-drinking as Prophylactic, 56, 426
Nail-affection in, 429
Other Diseases also attributed to One-sided Diet, 62
Pellagrogenin, Diagnostic Value, 61
Pellagrological Congress at Vienna (1915), Proposal *re* Shewing Cases at, clearly *not* due to Maize, 67
Post-mortem findings in, 66
Prognosis, 57
Proprietary Medicines and, 67
Prophylactic, Milk as, 56, 426
Rash of, 429, 430
Unusual Site of, 429
References to Literature, xxv–vii, lx–i
Rice-diet in relation to, 428, 432
Sandfly and, *see Simulium, infra*
Silica in relation to, 59
Experiments on Animals, 59
Suggested Treatment to Neutralize, 59
Simulium and, various views, 56, 57, 58, 425
Simuliidae exonerated, 56, 58, 60, 426
S. vittatum, studied in connection with, 59

Pellagra—*cont.*
Stomoxys calcitrans, in relation to, 425, 426
Strepto-bacillus of, in
Blood of Pellagrins: Technique for Demonstrating, 431
Faeces, 431
Sugar-cane products as Cause, 427
Symptoms (*see also* Diseases associated with), 57, 427, 430
Abdominal, 63
Cutaneous, 59, 63, 64, 65, 66, 68, 429
General, 64, 65, 66, 67
Mental, 57, 64, 65, 67, 428, 429
Nervous, 58, 427, 428, 429
Oral, 63
Sensory, 63, 65
Tests and Reactions in
Lange's, 58
Wassermann's, 58, 63
Theories on, *see under* Etiology, *supra*
Thyroid Gland in, 430
Transmission Problems, 425, 426
by House-flies (likely), 426
by *Simulium* (*q.v.*), 425
by *Stomoxys* (*q.v.*), 425
Treatment by
Arsenic, 60, 430
Dietetic Methods, 60, 63, 66, 67, 430
Excessive Diet, Clinical Notes on, 67
Fowler's Solution, 63
Gelsemium T.I.D., 427
Maize Extract Injections, 430
Hypersensitiveness to, of Pellagrins, 61–2
Temperature during Making, in relation to Results, 62
Mercury Bichloride, externally given, 68
Picric Acid, 68
Tri-sodic Citrate, 59
Vitamines in relation to, 56, 67, 432
Nomenclature, New, proposed, 428
Wheat-diet in relation to, 432

PLAGUE, 18–33, 389–407
Acarines, on Natives' belongings, 19
Agar Strain, Virulent, Sudden increase in, of Virulence, Failure of Antigens prepared from, 398
and Body Strains, Difference between, 397
Antigen, of Living Avirulent Cultures, Influence of Race on Efficiency of, 397–8
Nucleo-protein
from Horse Serum thus Immunized: Protective and Curative Value of, 398

Plague—*cont.*
Antigen—*cont.*
Nucleo-protein—*cont.*
Ultraviolet light in Preparation of; Action of, 399
Bacteriology
Bacilli found in Ipswich Rats, 29
Bacilli of, Mutation of: Cultural Experiments, 30
B. pestis, 24
in Bugs, Development in, and Infective power of Host, 393–4
Glycerin as Selective Poison for, 379
Nucleo-protein Extracts of, Immunity - Experiments with, 399–400
Viability of in Rat-fleas deprived of Hosts, 393
Stock Cultures, 31
B. tularense
Causal Agent of Plague-like Disease of Rodents Transmissible to Man, 404
Experiments with, 404, 405
Bugs (*C. lectularius*) Development in, of *B. pestis*, and Infective powers of, 393–4
(*C. rotundatus*), not found to Transmit, 24
Ceratophyllus fasciatus, carrying *B. pestis*; Length of Survival and Infection power of, in Absence of Host, 393
in Upper Egypt, Host of, 403
Larvae
Food Supply, 31
Mandibles, 31
Morphological characters, 32
Ceratophyllus gallinae, Larvae
Mandibles, 31
Morphological characters, 32
Climatic conditions hindering Spread, Madras Presidency, 389–90
Ctenocephalus canis, Countries in which not Found, 404
Larvae
Mandibles, 31
Morphological characters, 32
Ctenocephyllus felis, on Hedgehog, Upper Egypt, 402
of the Philippines, a Correction *re*, 404
Cimex lectularius, Development in, of *B. pestis*: Infective Powers of, 393–4
Cimex rotundatus, not found to Transmit, 24
Where met with, 19
Disinfection Methods, *see also* Prophylaxis

Plague—*cont.*
Disinfection Methods—*cont.*
Clayton Gas, 22
Depopulation, 401
Fumigation, 19, 22–3, 400, 401
Washing with Phenol Solutions, 401
Echinophaga gallinaceus, on Weasel, Upper Egypt, 402
Ecto-parasites on Fumigated belongings of Natives on Border of Infected Department, Java, 19
Eighth Report of Plague Investigation in India: Criticism on, 405
Epidemics of, *see with* Incidence, Geographical, *infra*
Eradication, in California by Squirrel-destruction, 28
Possible, from Certain Indian districts, 27
Experiments on, Vaccination against a Body Strain of, 396-7
Flea-counts, Madras, 389, 391
Flea-rate, in relation to Intensity of Epizootic, 23
Fleas, Eggs of, Incubation-time in relation to Atmospheric Moisture, 32–3
Fasting, Length of Time before they will Bite Man, 32
Rat and other, *see also* Rat-fleas, and *under* Transmission
Found in Upper Egypt, 406–7
Pulicid, Larvae of
Differential Morphology, 31–2
Egg-breaker, 31
Food Supply, 31
Mandibles, 31
Morphological characters, 32
Immunisation Experiments with
Living Avirulent and Virulent Cultures, 397–8
Nucleo-protein Extracts of *B. pestis*, 399–400
Pseudo-tubercle, 397
Immunity, Regional, Surabaya, 19, 20
Incidence (all forms)
Geographical
America, U.S.
California, 28
New Orleans, 23, 392
Annam (Epidemic), 390–1
British East Africa, 386, 387
Cambodia, 26, 394
Canary Islands, 401
Ceylon, 398
China
Shanghai, 33
Yunnan, 376
Cuba (Havana), 22, 401
Egypt, 405
Upper, 402–3

Plague—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Europe, Risks of, from Indian Troops, in, 405
with Special reference to the role of the Rat, 23
Formosa, 391
India, 19, 21, 27, 405
Bombay, 21, 390, 398, 406
Madras Presidency, 389–90
Indo-China, 26
Java, 18–20, 24, 32, 33, 396, 398, 400, 401
Epidemic, 392
Manchuria, 395
Mauritius, 25
Mombasa, 21–2
Morocco, 22, 378
Philippine Islands, 20
Siam, 395
Tripoli (epidemic), 395–6
Occupational (in Soldiers), 22
Racial, 22
Seasonal, 19
Sex, 22
Infection, Persistence of, in Host-less Rat-fleas, 393
Off-season, in Poona District Villages, 21
Pygiopsylla ahalae, 24
Insect Vectors, *see* Bugs, Fleas, Lice, Mosquitoes, Rat-fleas
Leptopsylla musculi on Boat-Rats, Upper Egypt, 402–3
Larvae
Mandibles, 31
Morphological characters, 32
Lice (*Pediculis hominis*) as Vectors, 19, 24
Living Avirulent and Virulent Cultures, Immunisation by, 397–8
Long-tailed Shrew infected with, 394
Mortality in
Epidemic, of Annam, 391
Haffkine-protected Cases, 26
Inoculated and non-Inoculated Persons, 22
in relation to Sanitation
Annam, 391
Morocco, 22
Mosquitoes as Vectors ? 394–5
Musk-rats in relation to, 394
Nile-boats, Fleas found on, 402–3
Periodicity, Java, 19
Pygiopsylla ahalae and, 19, 407
Duration of Infection in, 24
Poison for Rats ; Cheap and Effective, 27–8
Prophylaxis, 23
Depopulation (temporary), and Disinfection (*q.v.*), 401
Food-protection, 28

Plague—*cont.*
Prophylaxis—*cont.*
Fumigation with
Hydrocyanic Gas, 22–3, 401, 406
Apparatus for Small Holes, 401.
Sulphur, 22, 400
Haffkine's Prophylactic ; Results, 22, 26
Measures for use in Off-season, India, 27
Phenol as used in, 401
Poisoning of Rats, 21, 22–3, 278
Practical Considerations on, 33
Rat-collection, Native Opposition to, 21
Rat-destruction as adverse to, 402
Various Methods, and Results, 21, 22–3, 27–8, 400, 401, 406
Rat-proofing of Houses, 21, 28, 401
Squirrel-destruction, California, 28
Trapping of Rats, 389, 390
Best Trap for, 21
Yersin's Anti-Plague Serum, Clinical notes on, 26
Protective and Curative Value for Rats, of Horse Serum, specially prepared, 398–9
Pseudo-tubercle, Killed Cultures, Immunisation by, 397
Pulex conepati, n. sp., from Brazil : Host : Description, 403
Pulex irritans, in relation to, 19
in Upper Egypt, 403
Larvae
Mandibles, 31
Morphological characters, 32
var. *bahiensis* (n. v.), from Brazil : Host : Description, 403
Rat-collection, *and* Rat-destruction, *see under* Prophylaxis
Rat-fauna in relation to England and India, 23
Rat-fleas, *see Ceratophyllus, Ctenocephalus, Pulex* and *Xenopsylla*
Concentration, on Decreasing Rat-population, 20
Destruction, *see* Fumigation, *under* Prophylaxis
Found in Upper Egypt, 402–3
Temperature as affecting, 390
as Vectors, *see under* Transmission
Rat-natality and, 20
Rat-nesting places, in Hollow Bamboos, 20
Rats and
Flea-concentration on, 20
Infected, in East Anglia, Species : Numbers : Examination : Conditions found, 28–9

Plague—*cont.*
Rats and—*cont.*
Susceptibility and Immunity of, in Madras, 390
as Vectors, *see under* Transmission
Young, Infected with *Trypanosoma lewisi*, 18
Reduviid Parasites on Natives' belongings, 19
References to Literature, xxvii–xxx, lxi–ii
Report of Bombay Laboratory (1913), 406–7
Rothschildella occidentalis, n. sp., Brazil: Described, 403
Siphonaptera from
Brazil, New Genus, Species, and Variety of, 403
Philippine Islands, Identification of, 404
Stenopsylla, n. g., from Brazil: Type: Hosts: Allied Genuses: Description, 403
Temperature and Humidity in relation to Periodicity, 19
Rat-fleas as affected by, 390
Eggs of, Incubation Time as Modified by, 32–3
Thermo-precipitin Reaction in Diagnosis, 24–5
Transmission by
Bugs, 393–4
Carriers, 18, 19, 378
Contact with Contaminated Matter *viâ* Wounds, 391
Fleas, Duration of Infectivity, 24
Mite-infested, less able to act as Vectors: Why, 24
Food, Contaminated by Rats, 18
Lice (*Pediculus hominis*), 19, 24
Mosquitoes, Experiments on, 394–5
Rat-fleas, 18, 19, 20, 391, 392, 401
Inadvisability of Rat-destruction, and, 402
Mechanism of, 392–3
Rats, 20, 22, 23, 387, 389–90, 391
in Java; two kinds, 18
Squirrels and other Rodents, 28, *see also* 404
Continuous and Metastatic in Java, 18–19
Treatment by
Blood-letting, 391
Electrargol, 25
Iodine, Tincture of; Efficacy Tests, 406–7
Salt solution Injections, 391
Serum, Yersin's, 391
Vaccine (Haffkine's), 26
Trypanosoma lewisi, in Young Rats, 18

Plague—*cont.*
Ultra-violet Light as affecting Vaccine in Preparation, 399
Vaccine, as affected by Ultra-violet Light during Preparation, 399
Haffkine's as Prophylactic, 26
Xenopsylla cheopsis and, 19
Biology of, in East Java, 32–3
on Dead Plague Rat, 20
Infection by, of Musk-rats, 394
Infectivity-Duration of, 20, 24
Larvae
Mandibles, 31
Morphological characters, 32
Sole Rat-flea of the Philippines, 404
in Upper Egypt, Hosts of, 402 *& n.*
Chephrenis, on Animals, Upper Egypt, 402
Cleopatrae on Gerbil, in Upper Egypt, 402

Various Forms

EXPERIMENTAL, 395
Transmission of, by
Bugs, 393
Fleas; Survival Tests, and Tests of Persistence of Infectivity, 393
Mosquitoes, 394–5

HUMAN

AMBULATORY, in Annam, 391

BUBONIC
Incidence in
Annam (Epidemic), 390–1
Cuba, 22
Java, 396
Epidemic, 392
Mauritius, 25
Morocco, 22
New Orleans, 23
Philippine Islands, 379
Tripoli (Epidemic), 395–6
Infection from Contents of Bubo, 396
Location of Buboes; Javanese Cases, 392
Mortality, with and without Electrargol Treatment, 25
Rat-fleas as Vectors, 392
Treatment by
Electrargol, 25, 396
Formaldehyde sodium bisulphite, (Fonabisit), 396
Iodine, 396
Serum, Anti-Plague, 396

INTESTINAL, in Annam, 391

Plague—*cont.*
Various Forms—*cont.*
HUMAN—*cont.*
PNEUMONIC
Incidence in
Annam, 391
Java (Epidemic), 392
Manchuria, 395
Mombasa, 21
Siam, 395
Infectivity of, in
Different Countries, 395
Persistence of, 405
Risk of, from presence of Indian Troops in Europe, 405
Treatment by Electrargol, 25

SEPTICAEMIC (*see also* EXPERIMENTAL), Morocco, 22
Treatment by Electrargol, 25

RAT, Action in, of Horse Serum, 398–9
B. enteritidis Gaertner Infections in, 29
Diagnosis, Thermoprecipitin Method, 24
as Applied to Cadavers, 25
Flea-rate in relation to Intensity, 23
Focus of (at New Orleans): Sequence of Infection of Rodents, 392
House Rats (*Mus griseiventer* and *Mus concolor*), and Java
Blood-contact in, 18
Trypanosoma lewisi in, 18
Incidence, Geographical
British East Africa, 386, 387
East Anglia, 23, 28, 29–30
India, 23
Java, 18, 19, 20
Mombasa, 21–2
New Orleans, 23
Philippine Islands, 20
Spread of, two Methods of, Java, 18
Transmission of, 18
Experiment on, 406
Theories on, 391
Trypanosoma lewisi in, 18
Trypanosomiasis found in, 29

SQUIRREL (and other Rodents), in California, 28, 404–5
Causal Organism, 404
Squirrel-destruction and [Apparent] Eradication, 28
Transmissible to
Animals, 404–5
Man, 28, 404–5
Route of Infection, 404
Vectors of, 404–5

Polyneuritis Gallinarum, *see* Beriberi, Avian

PROTOZOOLOGY (excluding Amoebae, and most Trypanosomes), 280–304
GENERAL
Animals, Blood Parasites of, Nigeria, 293
Naturally and Experimentally Infected, *see under* Names
Susceptible (and the reverse) to *Toxoplasma gondii* Infection, 288
Bacilliform bodies in Rats' Blood, Nigeria, 293
Bees
Hive, and *Nosema bombi*, n. sp., 289
Humble, and *Nosema bombi*, n. sp., 289
Birds, Blood Parasites of, Nigeria, 293
Experimental Infection of, by *Toxoplasma gondii*, 288
Fowls, Disease of, shewing Leucocyte Cell-Inclusions, Nigeria, 293
Blood Parasites of
Birds and Animals, in Nigeria, 292–3
Guinea Pigs, Nigeria, 292
Lizards, Nigeria, 293
Toads, Nigeria, 293
Cattle, Babesiasis of, Nigeria, Parasites found, 292
Haemoglobinuria of, in Chili; Parasite; Pathogenicity; Symptoms; Vector (suspected), 291
Countries from which Observations are Noted
America, U.S.A., 284
Ceylon, 293
Chili, 291
Great Britain, 281
India, 282, 283
Nigeria, 284, 292–3
Sicily, 288
Syria, 283
Tunis, 288, 289
Digestive Glands: First record of Herpetomonads in, 280
Diseases of Protozooal Origin
Babesiasis (Piroplasmosis) of Domestic Animals, Nigeria, Parasites found in, 292
Canine Kala Azar, Probable Nature and Cause, 280, 282
Dysentery, in Ceylon, from *Castellania castellanii*, 293

Protozoology—*cont.*
GENERAL—*cont.*
Diseases of, &c.—*cont.*
Fever, Protracted, with Splenomegaly, Ceylon, due to *Toxoplasma pyrogenes*, 294
in Fowls, shewing Leucocytic Cell-Inclusions, in Nigeria, 293
Haematoblasts of Geckos, Leishmaniform parasites of, 296
Haemoglobinuria of Cattle, Chile: Causal Agent; Pathogenicity; Symptoms; Vector (suspected), 291
Herpetomoniasis, Experimental, 280–2
Insect-borne, Theory on, 282
Leishmaniasis, *see also* Herpetomoniasis, *supra*
Theory of Herpetomonal origin of, 280, 282
Dogs, Experiments in Infection of, by *Piroplasma canis*, 287
Filarial Embryos, in Toads and Lizards, Nigeria, 293
Fleas, Dog and Rat, Herpetomonads of, Infection Experiments with, 280–1
Fowls, *see under* Birds, *supra*
Geckos
New Parasite in Haematoblasts of, 289–90
Other Parasites, 290
Pirhemocyton tarentolae, n.g., n. sp., in, 290
Glossina, as Vectors of Protozoa in Nigeria, 292, 293
G. palpalis, *Spirochaeta glossinae* from, 293
G. tachinoides, Spirochaete in Gut of, Nigeria, 293
Guinea-pigs
Blood-parasites of, in Nigeria, 292
Klossiella cobayae, 284–5
Infection-Experiments on
Animals, by *Toxoplasma gondii*, 288–9
Dogs, by *Piroplasma canis* culture, 287
Mammals, by Flagellates of Invertebrates, 280-2
Insects and Insect Vectors (Actual and Suspect), *see* Bees, Fleas, Glossina, Lynchia, Phlebotomus, Red Mites, Tetranychus, Ticks
Flagellates of, Pathogenicity of, in Vertebrates, 280–2

Protozoology—*cont.*
GENERAL—*cont.*
Invertebrates, Flagellates of, Infection Experiments with, on Mammals, 280–2
Leucocytic Cell-inclusions, Fowl-Disease characterised by, Nigeria, 293
Limpets, *Herpetomas patellae*, n. sp., parasitic in, 280
Lizards, Blood-parasites of, Nigeria, 293
Common Wall, Host of *Phlebotomus minutus*, 282
Lynchia Fly, *Halteridium columbae* in, Extra-corporeal cycle of, 285
Mice, Parasite of Renal Epithelia of, and others like, 284–5
Microfilariae, bodies associated with, in Lizards, Nigeria, 293
Mollusca, First record of Herpetomonads in, 280
New Culture Medium for, 291–2
Oriental Sore, in relation to Tunisian Geckos, 289–90
Pathogenic Significance of Flagellates of Invertebrates, 280
Phlebotomus minutus, *Herpetomonas phlebotomi* in, 282-3
Pigeon, *Halteridium columbae* in Life-cycle of, 285
Rats, Blood-parasites of, Nigeria, 293
Red Mites, Associated (possibly) with Fowl Disease, in Nigeria, 293
References to Literature, xliii–iv, lxxii–iii
Rodents, *see also under* Names
Experimental Infection of, by *Herpetomonas jaculum*, 281
Toxoplasma gondii, 288
Klossiella in, 284, 285
Sand-flies, *Herpetomonas phlebotomi* in, 282–3
Tela araña, Bovine Haemoglobinuria of Chile; Causal Agent: Vector (suspected), 291
Tetranychus (Acarid), Vector (suspected) of Chilian Bovine Haemoglobinuria, 291
Ticks, as Vectors of Babesiasis, Nigeria, 292
Toads, Blood Parasites of, Nigeria, 293
Water Scorpions, *Herpetomonas jaculum* from, Infection Experiments with, 281

Protozoology—*cont.*
PROTOZOA, *see also* SPIROCHAETES *infra*
Castellania castellanii (probably n. g., n. sp.), Dysentery due to, Ceylon, 293–4
Coccidia
Klossiella cobayae, in Guinea-pigs, 285
Klossiella muris, in Mice, 284, 285
Flagellates
Culturable Free-living kind, from Water, India, 283–4
Action on, of Various Chemicals, 284
Attempted Classification, 284
Flagellates of Invertebrates, Infection Experiments with on Mammals, 280–2
Crithidia
C. fasciculata, Experimental Infection by, of Animals, 280
Haemocystozoon brasiliense, from Man, 280
Helkesimastix faecicola, n. g., n.sp., Life-cycle, 283
Herpetomonads
First recorded discovery of, in Mollusca, and in Digestive Glands, 280
H. ctenocephali, and Canine Kala Azar, 280
of Dog-Flea, Viability of, in Vertebrates, 282
Experimental Infection by, of Animals, 280
H. jaculum from Water Scorpion
Forms most Infective to Mice, 282
InfectionExperiments with, 281–2
Life-cycle, 281
Morphology, 281–2
H. patellae, in Limpets, Morphology of, 280
H. pattoni, Experimental Infection by, of Animals, 280
H. phlebotomi, in Sand-Flies, 282–3
Leishmania
in Blood, 262, 263, 268
Feeding Experiments with, 263
Herpetomonad flagellate stage Culturally developed in, 280

Protozoology—*cont*
PROTOZOA—*cont.*
Flagellates—*cont.*
Leishmania—cont.
and Leishmaniform elements or parasite in
Haematoblasts of Tunisian Geckos, 289–90
Vertebrates, Theories on, 280, 281, 282
Prowazekia genus, Sources of, 284
P. urinaria, 284
Trypanosoma
Culture Medium for, New, 291–2
in Lizards, and Toads, Nigeria, 293
One Possibly New, in Toads Nigeria, 293
in Vertebrates, Leishmaniform elements in, 280
Syngamy in, absence of, reason for, 283
T. brucei, Rat-plasma method in Study of, 292
T. mega, in Toads, Nigeria, 293
T. platydactyli in Tunisian Geckos, 290
T. rotatorium, in Toads, Nigeria, 293
Trypanoplasma
Probable New one, from Water, India, 283–4
Haemosporidia
Anaplasma, Nature, Evolution, and Connections of, 288
Anaplasma-like bodies in Mediterranean Kala Azar, 288
Babesia, see Piroplasma infra
Entoplasma, in Dysentery, 294
Haemamoebae
Haemocystidia in Lizards, Nigeria, 293
Haematozoon, New, in Gecko, *see Pirhemocyton tarentolae, infra*
Haemogregarinae
Haemogregarines in
Lizards and Toads, Nigeria, 293
One found in Tunisian Geckos, 290
Leucocytogregarines in Lizards, 293
Haemoproteus, see Halteridia, infra
Halteridia (Haemoproteus)
H. columbae in Pigeon, 285
Gametes, Study of, 285–6
Life-cycle, 285
Asexual cycle, 285
Results of Cultivation by Bass's Method, 285, 286
Nuttallia equi, 288

Protozoology—*cont.*
PROTOZOA—*cont.*
Microsporidia
Nosema bombi, n. sp., of Humble Bees
Biology, Economics and Morphology, 289
Pathogenicity to Hive Bees, 289
Paraplasma
P. cobayae, n. sp., in Guinea-pigs, Nigeria, 292
P. flavigenum, in Guinea-pigs, Nigeria, 292
Piroplasmidae
Piroplasma (*Babesia*)
Question of Nomenclature, 287–8
with Unique Morphology, in Hausa Cattle, 292
P. bigemina, in Hausa dwarf Cattle, 292
P. canis, Cultures of, *in vitro*, 286–7
Infection, Experimental, of Animal by, 287
P. mutans (possibly) found in Cattle, Nigeria, 292
Theileria parva Parasites with similar Morphology, in Nigerian Cattle, 292
Toxoplasma
T. gondii, Experimental Infection by, of Animals, 288–9
Morphology, 288–9
T. pyrogenes, in Ceylon, Disease due to, 294

SPIROCHAETAE
Action on, of K_3, 387
Found in Ulcers of Leg, China, 382
from *Glossina tachinoides* (gut), Nigeria, 293
from Guinea-pig, Nigeria, 292
Fusiform Bacilli associated with, in China, 382
in the Philippines, 383–4
Organisms resembling, in Cattle with Chilian Haemoglobinuria, 291
S. glossinae, from *Glossina palpalis*, 293

UNCERTAIN
Grahamella, Bodies resembling in Rat-Erythrocytes, 293
Sergentella genus, Parasites resembling, which cause Bovine Haemoglobinuria in Chili, 291

Rat Bite Disease, References to Literature, lxvii

RELAPSING FEVER, *and* **SPIROCHAETOSIS**, 230–8
Anti-Lice Campaign, 230
Argas persicus - Infected Granules in, 235
Bed-bugs as Vectors (not proven), 232
Carriers of, Salvarsan Sterilization of, 231
Collargol, as used in Production of Permanent Preparations of Spirochaetes, 238
Diagnostic Difficulties and Errors, 231
Microscopic Diagnosis essential, 231
Epidemiology, 230, 231, 232–3
Incidence
Class and Occupational, 230, 231-2
Geographical
Africa, North, 233, 235
Algeria, 232
Balkan War Area, 232–3
Epirus, 233
India ; Meerut Division, 230
Macedonia, 253
Somaliland, British, 231–2
Tonkin, 231
Turkey (Black Sea Shores), 233
Seasonal, 230, 231
Infection, Conjunctival in, from Crushed Lice, 234
Insect Vectors, Actual and Suspect, *see* Bed-bugs, Lice, Ticks
Invalidity, protracted, from, 232
Ixodes ricinus, non-Infected Granules in, 235
Lice as Vectors, 230, 231, 234
Campaign against, 230
Spirochaetes in, *see* Spirochaetes
Mortality, 231–2
Sex-ratio in, 230
Ornithodorus genus associated with
O. moubata, granules in, 235
O. savignyi
Granules in, 235
Habitat, 232
as Vector, 232, 235
Prophylaxis, 230, 231, 232
Anti-Lice Campaign, 230
Salvarsan-sterilisation of Carriers, 231
References to Literature, xxx–i, lxii.
Spirochaetes in
Cultural Methods ; Apparatus for, Simplified, 236–7
in Faeces, 230
Granule Phase of, 235

Relapsing Fever—*cont.*
Spirochaetes in—*cont.*
in Lice from Infected Persons, 230
Method of Demonstrating, Burri's, modified by Nitsche, 238
Morphology of, 235
in Lice, 233–4, 235
Staining of, 231, 235
in Ticks, Granule Phase in, 235
Virulence-variation in, in Body of Louse, 233–4
S. bronchialis, Granule Phase in, 235
Symptoms, 231
Meningeal, 232
Psychic, 232
Ticks as Vectors, 232
Spirochaetes in, Granule Phase in, 235
Transmission by
Dirty Habits, 230
Lice, 230, 231
Ticks, 232, 235
Treatment by
Atoxyl, 231
Dietetic Methods, 231
Feeding after Crisis, 230, 231
Neo-salvarsan, 233
Salvarsan, 231

Various Forms

EXPERIMENTAL, Attempts to produce, 230

TYPHO-BILIOUS type, in Tonkin, 231
Blood-modifications in, 231
Complications in, 231

Reports, *see* **HYGIENE, APPLIED, IN TROPICS**, *under* Countries

REVIEWS OF BOOKS, 70, 128–30, 197–8, 318–23
Dietetics, or Food in Health and Disease (Tibbles), 128
Flies in relation to Disease. Blood-sucking Flies (Hindle), 129–30
North Manchurian Plague, Prevention Service Reports (1911–13), (Wu Lien-Teh; edited by G. L. Tuck), 70
Practical Sanitary Science. A Handbook for the Public Health Laboratory (Sommerville), 2nd ed., 198

Reviews of Books—*cont.*
Treatise, A, on Hygiene and Public Health, with special reference to the Tropics (Ghosh, introduction by Macleod), 2nd ed., 197
Uebertragungsweise, Die, der Rattentrypanosomen. Einer experimenteller und kritischer Beitrag zur Kenntnis des Uebertragungs problems der Trypanosomen überhaupt mit besonderer Berücksichtigung der parasitischen Protozoen einiger Haustierflöhe (*Noeller*) 318–23

Ringworm, *see under* **SKIN DISEASES, TROPICAL**

Sanitary Organisation, *see under* **HYGIENE, APPLIED, IN TROPICS**

Sanitary Works, *see under* **HYGIENE, APPLIED, IN TROPICS**

Sewerage, *see under* **HYGIENE, APPLIED, IN THE TROPICS**

SKIN DISEASES, TROPICAL, (*see also* TROPICAL SORE, *under* **KALA AZAR**), 1–8
DISEASES, and their Causation
Ainhum, Bilateral, in Louisiana, Negro, 8
"Blue Button," *see under* Ulcer, Tropical, *infra*
Figueira, in Brazil, resemblance of, to Blastomycosis, 4–5
Similarity of, to Disease in Cattle, 4–5
Madura foot, *see* Mycetoma, *infra*
Mite-produced Rash in Dock labourers, London, handling Egyptian Cotton, at Colchester, and in London, 7
Molluscum Fibrosum, in Gold Coast Native Woman, 8
Mycetoma (Madura foot), in the Transkei, 4
Raw Lip, in Negroes, 7–8
Incidence
Age, Class, Occupation and Race, 7, 8

Skin Diseases, Tropical—*cont.*
DISEASES, &c.—*cont.*
Ringworm
Incidence
Age, 1–3
Geographical
Africa, North, 3, 5
Algiers, 1, 2
Argentine, 3
Brazil, 3
Dahomey, 3
Ceylon, 3
Libya, 2, 3
Madagascar, 3
Senegal, 3
Sudan, Anglo-Egyptian, 1,3
Western, 3
Tripolitan Oasis, 2
Racial, 1, 3
Treatment by
Adhesive Plasters, 3
Chrysarobin Ointment, 3
Depilation, by X-Rays and by Forceps, 3
Iodine, Tincture, 3
Radio-Therapy, 2–3
Tobacco Soap, (Khartoum form), 4
Varieties
Scalp: Causes, 1, 2
Khartoum form; Symptoms and Treatment, 34
Skin: Causes, 2
Tinea capitalis tropicalis, *see* Ringworm, *supra*
Ulcers
Blastomycotic and Phagedenic, in South America, 442–3
"Blue Button" form, 6, 7
Incidence
Geographical
Antilles, 7
Dominica, 6
West Indies, 7
Symptoms, 6
Treatment by
Curetting, 6
Iodine Tincture, 7
Interdigital (Ulcus Interdigitalis Foetidum), Cause, 6
Symptoms, 6
Treatment by Cocaine, followed by Salicylic Acid Alcohol solution, 6
Mutilating, in Guam, and the Philippines, Syphilitic Causation of, 381
Tropical
Etiology, 380, 381, 382
Wassermann's Reaction as applied to solution of, 380–1

Skin Diseases, Tropical—*cont.*
DISEASES, &c.—*cont.*
Ulcers—*cont.*
Tropical—*cont.*
Incidence
Geographical
China, 381–2
Setchouen, 5
Gambia, 383–4
Philippine Islands, 380–1
South America, 442–3
Sumatra, 382
Tropics generally, 5
Seasonal, 382
Parts affected
Organisms Associated with, 382–4
Symptoms, 5
Treatment by
Airol, 5
Caustics, 5
Hydrogen Peroxide, 383
Iodine, Tincture of, 5
Iodoform, 5
Salvarsan, 383
Scraping, 5
Surgical operation, 383
Thermocautery, 5
Vioform, 5
Vincent's Organisms in, 383–4
PARASITES and Fungi associated with the above Diseases
Bacteria
Bacilli, Vincent's, and others in Phagedenic Ulcer, 5
Diplococcus, in "Blue Button," 6
Hyphomycetes, associated with Ringworm
Achorion quinckeanum, in Scalp Favus, Algiers, 2
A. schönleinii, 2
Epidermophytons, 2
Microsporum genus
M. audouini, 3
M. fulvum, 3
Tricophyton genus
Classifications of, 1, 4
Species found in
Algeria, 2
Anglo-Egyptian Sudan, 3
T. acuminatum, 2
T. cerebriforme, 2
T. circonvolutum, 3
T. crateriforme, 2
T. currii, n. sp. (agent in Khartoum form), 4
T. exsiccatum, 3
T. granulosum, 1, 2
T. faviforme, 2
T. luxurians, n. sp., 2
T. plicatile, 2
T. polygonum (one resembling), 2

Skin Diseases, Tropical—*cont.*
PARASITES, &c.—*cont.*
Hyphomycetes—*cont.*
Tricophyton genus—*cont.*
T. polygonum, 3
T. regulare, 2
T. sabouraudi, 3
T. soudanense, 3
T. violaceum (varieties of), 2, 3
Mite, Predacious, Parasite of Pink Cotton Boll Worm, *see Pediculoides ventricosus*
Pediculoides ventricosus and Skin Disease in Dockers handling Egyptian Cotton, 7
of Pink Boll Worm, *see Pediculoides ventricosus*
References to Literature, xxxi–ii, lxii–iii
Spirochaetes, in Phagedenic Ulcer, 5

SLEEPING SICKNESS (and other Trypanosomiases), 83–105, 295–304, 408–17
GENERAL
Amboceptors, from Nagana Trypanosome infection, Action of, alone, and with Salvarsan, 96
Animals experimented on, *see* TRYPANOSOMIASIS, EXPERIMENTAL, *infra*
Antelopes (Sitatunga) as Reservoirs of *T. gambiense*, 87
Arsenobenzol (*see also* Salvarsan, *under* Treatment), Action of in conjunction with Trypanolytic Amboceptor Serum, 96
Atoxyl, *see also under* Prophylaxis, *&* Treatment
Action of, in conjunction with Trypanocidal Sera, 97
Chagas' Disease, *see T. cruzi* Infection, *under* Trypanosomes
Ceratophyllus fasciatus, Life-cycle in, of *T. lewisi*, 300–1
Chemotherapy, *see also* Treatment, *under* each kind of TRYPANOSOMIASIS
Activity of Solutions of Medicaments, in Horse Serum, and Citrate Bouillon, 303–4
Cimex lectularius, experiments with, and *T. cruzi*, 102–3

Sleeping Sickness—*cont.*
GENERAL—*cont.*
Circulation, Peripheral, Sterilization of, by Atoxyl: Permanence of, 408
Clearances, *see* Prophylaxis, *under* TRYPANOSOMIASIS, ANIMAL, *&* HUMAN
Conjunctival Penetration in Guinea-pigs, by *T. evansi*, and *T. equinum*, 103
Diagnostic Methods
Diagnosis by Leeches, 100–1
Xeno-diagnosis, 100–1
Endotrypanum schaudinni, in Hoffmann's Sloth, Morphology of, 104–5
Game in relation to, 87, 410
Immunity in Goats, Conferred by Infection ; not Inheritable, 299
Lanfranchi virus, Insusceptibility of, to Human Serum, 98
Leeches, Diagnosis by : Applications of, 100–1
Rat-Flea, *see Ceratophyllus fasciatus, supra*
Rat Trypanosome, *see T. lewisi, under* TRYPANOSOMES
References to Literature, xxxii–iv, lxiii–iv
Rhodnius prolixus, Xeno-diagnosis by, 101
Rodents, Ivory Coast, Trypanosomes, n. sp., found in, 301–2
Serpents, Aquatic, Trypanosomes of, 100–1
Serum
Normal Human
Action of,
Greater in Prevention than Cure, 98
on *T. gambiense*, 97–8
on *T. rhodesiense*, 97
Trypanocidal
Experiments with alone, and Medicated, 97, 98, 303, 304
Stomoxys calcitrans, and *T. evansi*, Transmission Experiments on, 103
Tartar Emetic (*see also under* Treatment), Action of, in conjunction with Trypanocidal Sera, 97, 303, 304
Tests for Distinguishing Trypanosomes
Biological, 85, 86, 93
Morphological, 85, 86, 93
Trypanocidal Sera, Activities of, alone, and Medicated, 96, 97, 303, 304

Sleeping Sickness—*cont.*
GENERAL—*cont.*
Tsetse Flies, *see* Glossina, *infra*
Xenodiagnosis, *see under* Diagnostic Methods, *supra*
GLOSSINA
Absence of Domestic Animals in Areas Infested by, 409–10
Development in, of Trypanosomes as means of Classifying the latter, 84, 85, 86
Destruction, 89, 410
Distribution, *see under* each kind
Haunts, Two kinds, 89, 409
Humidity in relation to Species prevalent, 409
Species found in
Cameroons, 411
German East Africa, 411
Togoland, 411
Transmission by, of Trypanosomes, 89
Vectors of most Trypanosomes, 89
Classified by Bruce, 84
G. austeni, in German East Africa, 411
Nomenclature, 411
G. brevipalpis, in German East Africa, 411
Nomenclature, 411
G. caliginea
Distribution in
Kamerun, 411
Nigeria (Eket District), 93
G. fusca
Distribution in
German East Africa, 411
Togoland, 411
Nomenclature, 411
G. longipalpis
Distribution in
Dahomey, 93
Senegal, 408, 409
Togoland, 411
Transmitter of *T. brucei*, in Dahomey, 93
G. morsitans
Campaign against, urged, in Senegal, 410
Distribution in
German East Africa, 411
Rhodesia, Northern, 295
Senegal, 409
Shari River Region, 87
Togoland, 411
Uganda, Northern Province, 87, 88
Efficient (Laboratory) Transmitter, 296
Haunts, 409
Nomenclature, 411
Rearing-experiments with, in Europe, 302

Sleeping Sickness—*cont.*
GLOSSINA—*cont.*
G. morsitans—*cont.*
Two Trypanosomes in, relative Pathogenicity of, 88
Wild (Senegal), *T. cazalboui* and *T. dimorphon* in, 410
G. pallicera, in Kamerun, 411
G. pallidipes
Distribution in
German East Africa, 411
Lakes George and Edward Region, 87
G. palpalis, Attempt to Exterminate by Capture, 410–11
Distribution in
German East Africa, 411
Kamerun, 411
Nigeria (Eket District), 93
Senegal (Petit-Côte), 408–10
Togoland, 411
Victoria Nyanza
Islands, 410
Shores, 87
Haunts, 409
Not found on the Shari, 86
Rearing-Experiments with, in Europe, 302
Trypanosomes Transmitted by, in Senegal, 409
of V. Nyanza Shores, reason for Continued Infectivity of, 87
G. tabaniformis in Kamerun, 411
Nomenclature, 411
G. tachinoides
Distribution in
Dahomey, 93
German East Africa, 411
Kamerun, 411
Nigeria, Eket District, 91, 93
Shari River Region, 87
Nomenclature, 411
Wild, Results of Feeding on Uninfected Animals, 92
Trypanosomes infecting, 92
T. cazalboui transmitted by, 92
G. ziemanni, in Kamerun, 411

TRYPANOSOMES
Action on, of
Arsenic, in certain Animals, 413, 414
Human Serum, Maternal and Foetal; Tested on Nagana-infected Mice, 415
O_1, 297
African
Pan-African, in Blood of Game or Domestic Animals; Nomenclature discussed, 87–9

Sleeping Sickness—*cont.*
TRYPANOSOMES—*cont.*
African—*cont.*
Classifications of, 83–5, 85–6
Tests for
Biological, 84, 85, 86
Biometric, 83
Morphological, 85, 86
Morphological similarity, 85, 86, 414
Exceptions, 414
Pathogenic to Man and Domestic Animals
Classification of, 83–5
Characters of Each Group, 84
Development in Glossina, 84
in Cerebro-spinal Fluid, 94
Difficulty of Treatment, 95
of Chagas' Disease, *see T. cruzi, infra*
Human and Animal, Transmitted by *G. palpalis* in Senegal, 409
Pathogenicity experiments on the former, 98–9
in Human Trypanosomiasis, 295
Laboratory strains, Old, illsuited to Classification uses, 83
of Mule, Rovuma, Biological Test of, 86
Pathogenicity of, according to Strain, 83
Polymorphism in, 84, 85, 87, 89, 93
Serum for Suspending, for Experiments *in vitro*, 303
Tests for Distinguishing
Biological, 85, 86, 93
Biometrical, 83
Morphological, 85, 86, 93
Three Groups of, as Classified by Bruce, Development of, in Glossina, 84, 85
Three Natural Groups of, 87–8
Congolense, 87
Polymorphic, 87
Vivax, 87
Triatoma as Vectors of
Canibalism and Coprophagy of, in regard to, 102–3
Xenodiagnosis by Larvae, &c., of, 101
Rhodnius prolixus, 101, 102
T. brasiliensis, 101
T. Chagasi, 102
T. geniculata, 101, 102
T. infestans, 101, 102
T. megista, Biology and Rearing of, 101, 102
T. sordida, 101, 102
T. vitticeps, 101
T. acomys, Probably that of Gambian Mice, 104
T. arvicanthi, see T. arvicanthidis

Sleeping Sickness—*cont.*
TRYPANOSOMES—*cont.*
T. arvicanthidis, n. sp., in Rats, Ivory Coast, 301–2
Inoculation experiments with, 302
Morphology, 302
T. brazili, Leech-culture of, in Diagnosis, 100
T. brucei, 99
Action on, of
OK_1, 298
Serum, with Tartar Emetic dissolved therein, 303
Animals Infected with, in Experiments with the Ophthalmic and Intrapalpebral Reaction, 413
Cultivated and Wild Strains, relative Pathogenicity of, to Rats, 83
Identity and Nomenclature, 83, 85, 88, 89, 93, 413
Infection, Experimental, *see under* Experimental
Infection by, of Man and Animals, and Duration of Disease, 84
of Nagana, Sera obtained from, Trypanocidal Action of, 96, 97
of Nigeria, Transmission experiments with, and *G. tachinoides*, 93
Nomenclature and Identity, 83, 85, 88, 89, 93, 413
One Identical with, in Donkeys, &c., A.-E. Sudan, 413
Problems of, 85
and *T. pecaudi*, Identity discussed, 93
and *T. rhodesiense*, Differentiation of, 83
Identity discussed, 93
var. *rhodesiense*, Suggested Nomenclature, 89
T. rhodesiense and *T. ugandae* as Synonyms of, 83
Zululand, 85
Biological Test of, 86
T. brucei Group, Action on, of Salvarsan-Copper (K_3), 299
Bruce's Classification, 83, 85
Development of, in Glossina, 84
T. caprae, Bruce's Classification, 84
Cultivated and Wild Strains, Relative Pathogenicity, 83
T. cazalboui, 414
Distribution, Senegal, 410
Glossina Transmitting, 92, 409
in Horses, Nianing, 409
One like, in Hausa Donkey, 86–7
as Synonym for *T. vivax*, 84

Sleeping Sickness—*cont.*
TRYPANOSOMES—*cont.*
T. confusum, as Synonym for *T. pecorum*, 84
T. congolense, Action on, of O_1 and OK_1, 298
Bruce's Classification, 84 *n.*
Goat-Immunity to, not Inherited, 299
Immunity Experiments, 100
Priority of, 85
T. congolense Group, 87
T. congolense (*pecorum*)
Methods of Distinguishing, 88
in Wild *G. tachinoides*, Nigeria, 92
T. cruzi, Feeding Experiments with, and *Cimex lectularius*, 102–3
How Demonstrated in Guinea-pigs, 101
Infection of, Researches on, 101–3
Theory of Origin and Spread, 102
Triatoma as Vectors, 101–2
T. chagasi, Natural Host, 101
T. dimorphon
Action on, of Antimony Metolein, 297
Bruce's Classification, 84*n.*
Distribution in Senegal, 410
in Horses, Nianing, 409
Priority of, 85
T. duttoni, Inoculation Experiments with, on Dormice, 103
T. eburneense, n. sp.,
in Rodents, Ivory Coast, 302
Inoculation Experiments with, 302
T. equi, Morphological Test, 85
T. equinum, Infection by, of Guinea-pigs, *viâ* Conjunctiva, 103
T. equiperdum, 83, 84
Bruce's Classification, 83
Transmission of, between Guinea-pigs, 103
T. evansi, 83–84, 99
Antigen from Extracts of, used in Experiments with Ophthalmic and Intrapalpebral Reaction, 413
Biological Test, 86
Bruce's Classification, 83, 85
Goat-Immunity to, not Hereditary, 299
Infection of Guinea-pigs with, *viâ* Conjunctiva, 103
Synonym, 83
T. gambiense
Action on, of
Arsenic Métoléine, 297
Atoxyl, 298

Sleeping Sickness—*cont.*
TRYPANOSOMES—*cont.*
T. gambiense—*cont.*
Action on, of—*cont.*
Galyl, 298, 299
Ludyl, 298, 299
Neosalvarsan, 298, 299
O_1, 298
OK_1, 298
Salvarsan, 298, 299
Normal Human Serum, 97–8
Sheep Serum, 99
Bruce's Classification, 83, 85
Differentiation, 83
Distribution in
Portuguese Africa and Principe (believed), 95
West Africa, 93
Goat-Immunity to, not Inherited, 299
Goat Infected with Medullary Symptoms in, 99
Immunity Experiments with Goats, 100
Infection by, of Man and Animals, and Duration of Disease, 84
Sitatunga Antelopes as Reservoirs of, 87
Symptoms suggestive of, 295, 296
Synonym, 83
Xenodiagnostic investigations on, 101
T. guist'haui, n. sp., in Rats, Ivory Coast, 302
T. ignotum, as Synonym for *T. simiae*, 84
T. leptodactyli, Leech-transmitted; Diagnostic use of, 100
T. lewisi, Experiments on Biological Properties and Virulence, 415–6
Biological test, 86
Inoculation experiments with, on Dormice, 103–4
T. lewisi of Rats
in relation to *Ceratophyllus fasciatus*, 300–1
T. nanum, Differentiation, 88
Synonym for *T. pecorum*, 84
T. nigeriense, from Guinea-pig and Monkey, 93
Short stumpy forms of, 93
as Synonym for *T. gambiense*, 83, 99
T. pecaudi, in Animals at Fort Archambault, 86
Biological Test, 86
Bruce's Classification, 84
T. pecaudi (*T. Brucei*, Uganda), in Wild *G. tachinoides*, Nigeria, 92
T. pecaudi, Roubaud, place of, in Glossina, 89

Sleeping Sickness—*cont.*
TRYPANOSOMES—*cont.*
T. pecaudi Group, Where found in Glossina, 89
Morphological Test, 85
Nomenclature and Identity, 85, 88, 89, 93
T. pecorum, Priority, 85
Development of, in Glossina, 84
Synonyms, 84
T. pecorum Group, Bruce's Classification of, 84
T. rabinowitschi, Biological Test of, 86
T. rhodesiense
Action on, of
Arsenicals, 298–9
Atoxyl, 298
Galyl, 298
Ludyl, 298
Neosalvarsan, 298
Normal Human Serum, 97
OK_1, 298
Salvarsan, 298
Sheep Serum, *T. gambiense*-infected, 99
Biological Test of, 86
Differentiation and Identity, 83, 88, 89, 93
Morphological Test, 85
Nomenclature and Identity, 83, 88, 89, 93
Not found in N. Province, Uganda, 87
Occurence (possible) in West Africa, 93
T. simiae, Cultivated and Wild Strains; Relative Pathogenicity, 83
Synonym, 84
T. soudanense, Action on, of O_1, 298
Goat-Immunity to, not Inherited, 299
as Synonym for *T. evansi*, 83
var. *berbera*
Causal agent of Debab, one resembling in Dog-disease, 300
T. ugandae
Biological Test, 86
Morphological Test , 85
Nomenclature and Identity, 83, 85, 88
Synonyms, 83
T. uniforme, Bruce's Classification, 84
T. vivax, Synonym, 84
T. vivax Group, 87
Bruce's Classification 84
Development, in Glossina, 84
in Wild *G. tachinoides*, Nigeria, 92
Wild and Laboratory Strains, in reference to Sub-classification, 88

Sleeping Sickness—*cont.*
TRYPANOSOMIAS
ANIMAL
African Trypanosomes Causing
Classification, 83–5
Group-characters, 84
Diagnosis by Ophthalmic and Intrapalpebral Reaction in, 412–3
Dog-disease with Trypanosomes present, Sahara, 300
Domestic Animals Semi-immune to, Senegal, 410
of Donkeys and Mules, Anglo-Egyptian Sudan; Transmission Experiments and Arsenical Treatment: Results, 413–4
in Hoffmann's Sloth Endotrypanum of, 104–5
of Horses, in Morocco, 414
Symptoms, 414
Temperature as Diagnostic in, 413
Trypanosome of, 414
Immunity, Hereditary, Experiments on, 99–100
Incidence, all Forms
Geographical
Algerian Sahara, 300
Anglo-Egyptian Sudan, 302, 413
Ivory Coast, 301
Morocco, 414
Niger River bend, 89–90
Shari River Region, 86–7
Prophylaxis,
Clearances, 409, 410
Destruction of Wild Game, 89, 410
in Rats, Ivory Coast, New Trypanosomes found in, 301–2
Reservoirs of Virus, 89
Susceptibility of Animals, 83
Transmission by Glossina, 84
Experiments in, 300–1, 413–4
Treatment by Arsenic, 413–4
Trypanosomes Causing, *see* African, *supra*

DEBAB, Immunity to, Experiments, 100
Not Hereditary in Goats, 299
in Sahara, 300
Trypanosome of, 300, 414

MAL DE LA ZOUSFANA, *see* DEBAB

NAGANA, 303, 304
Experimental, *see* Trypanosomiasis, Experimental, *infra see also T. brucei*

Sleeping Sickness—*cont.*
TRYPANOSOMIAS—*cont.*
ANIMALS—*cont.*
NAGANA—*cont.*
Researches on, 103
Trypanocidal Sera obtained from, 96, 97, 303–4
Trypanosome of (1897), Dimorphic, 85
One resembling, in Moroccan Horse-Trypanosomiasis, 414

RAT-TRYPANOSOMIASIS, Transmission of, by *T. lewisi*, by means of *Ceratophyllus fasciatus*, 300–1

SURRA, Differential Diagnosis of, by Ophthalmic and Intrapalpebral Reaction, 413
Immunity Experiments as to Heredity, 99–100
Treatment by Arsenic, 413

EXPERIMENTAL
Action in, of
Antimony, Métoléin, 297
Arsenic Métoléin, 297
Atoxyl, 298
Diaminoarsenobenzene derivatives, 297, 298
Galyl, 298, 299
Horse Serum, Medicated, &c., 303, 304
Human Serum, 97–8
Maternal and Foetal, 415
Ludyl, 298, 299
Neosalvarsan, 298, 299
O_1, 297–8
OK_1, 298
Salvarsan, 298, 299
Salvarsan-Copper (K_3), 299
Sheep Serum, 99
with *T. brucei*; as to Infection-Route, 103
with *T. brucei* and *T. gambiense*; Duration of Disease, 84
with Human (Senegal) Trypanosome: Symptoms, 98-9
Immunity of *Myoxus glis*, after *T. lewisi* infection, 104
Ophthalmic and Palpebral Reaction as tested in, 413

HUMAN
Aetiology, Native views on, 91
Blood-Sterility in, eight months after Treatment, equivalent to Cure, 412
Cerebro-spinal fluid in, as affected by Salvarsan-Copper Treatment, 412

Sleeping Sickness—*cont.*
TRYPANOSOMIAS—*cont.*
HUMAN—*cont.*
Chilotera, disease resembling, in Loangwa Valley, 296
Diagnostic Methods, 90
Incidence
Age (Children), 90, 91
Geographical
British East Africa (Kavirondo), 91
Congo, 90
Belgian, 296
French, 86, 94, 296, 297, 408
Portuguese, 95
Gambia, 90
Islands in Victoria Nyanza, 87
Niger River-bend, 89–90
Nigeria (Eket district), 90–3
Nyassaland, 295
Principe Island, 95
Portuguese West Africa, Angola, 95
Rhodesia, Northern, 295
Senegal, 408–10
Bas-Saloum, 408–9
Nianing, 409
Niom-Bato, 409–10
South of 12° S., ascribed to *T. rhodesiense* or *T. brucei*, 296
Sudan, 296
Racial, 408
Sex, 90
Mallali, Native name for, Northern Rhodesia, 295
Prophylaxis, 296
Atoxyl, 408
Clearances, 89, 295, 408, 409, 410
Destruction of Big Game, 410
Native, 91–2
Symptoms, 91, 295–6
Nervous, Grave, Duration of, 94–5
Ocular, Due to Atoxyl, 95
Transmission by Carriers, 86, 89, 296, 408
Crocodile or Hippopotamus, Possible, Desirability of Investigation, 90
Glossina (*q.v.*), 84, 295, 296
Treatment by
Antimony, Metallic, 296
Arsenophenylglycin, 297, 298
Atoxyl, 86, 94, 95, 412
and Antimony, 412
Galyl, 95, 299
Native, 92
Neosalvarsan, 95
O_1, 297
Salvarsan-Copper(K_3), 299, 412
Sodium Salt of, 412

Sleeping Sickness—*cont.*
TRYPANOSOMIAS—*cont.*
HUMAN—*cont.*
Treatment by—*cont.*
Tartar Emetic, Intravenous Injections, 94
Trypanosomes, African, Causing, 83–5
Wild Game as Reservoirs of Infection, 87

Varieties
INTERMITTENT, with Splenomegaly, 94
Treatment, 94
Trypanolytic power of Blood of Patient, 94

LATENT, Duration of, 94

Smallpox
Incidence
Geographical
China (Yunnan), 376
Morocco, 378
Philippines, 376
Transmission by Nomad Carriers, 378
Treatment by Vaccine, 376, 377

Snake Bite
References to Literature, xxxviii–ix, lxvii

Splenomegaly, Tropical, *see also under* **MALARIA**
Ascites in connection with, 385, 386
Blood conditions, 385
Etiology, 384
Febrile form, 385
Histoplasma capsulatum post-mortem Finding of, 385
Incidence
Age, 384
Geographical
China, 384, 385
Formosa, 385
Egypt, 384, 385
Racial, 386
Symptoms, 384, 385
Treatment by Splenectomy, 385, 386

SPRUE, 225–9
Bacteria found in, 225
Bacillus spruæ, 225
Streptococcus salivarius, 227
Etiology, 226, 277
Fungi in, *see Monilia, infra*
Incidence
Geographical
America, U.S., 227
China, 227
Porto Rico, 225, 227
Queensland, 226, 374

Sprue—*cont.*
Monilia and, 227, 228–9
M. albicans, 228
M. faecalis, 229
References to Literature, xxxv, lxv
Symptoms, 225
Transmission by Returning Visitors from Porto Rico, 227
Treatment by
Castor Oil, 226
Cinnamon Oil, 226
Dietetic Methods, 225, 226
Emetine, 225, 227, 228
Nux Vomica Tincture of, with Gambir-agar, 225
Vaccine, 225
Streptococcal, 227

Three-Day Fever, *see* **PAPPATACI FEVER**

TROPICAL FEVERS, *see* **FEVERS IN THE TROPICS**

Tuberculosis in Tropics
Incidence
Geographical
China (Yunnan), 377
Grenada, 441
Loyalty Islands, 377
Philippines, 376, 379, 380
Intestinal, in the Philippines, 379, 380
in Native Races, References to Literature, xxxv
Wassermann Reaction and, 380

AVIAN, *see* p. 336

Typhoid and Paratyphoid in the Tropics
References to Literature, lxv–vi

TYPHUS FEVER, References to Literature, xxxvi–vii, lxvi

Ulcers, Tropical, *see under* **SKIN DISEASES, TROPICAL**

UNDULANT FEVER, 120–7
Agglutination-tests of Milk and Serum of London Cows, for Anti-bodies to *M. melitensis*, 126–7
Antibodies for *M. melitensis*, in Milk of London Cows, 126–7
Bile as Culture Medium for *M. melitensis*, 125–6
Blood of Cows, *M. melitensis* in, 126–7

Undulant Fever—*cont.*
Blood-conditions in, when Phlebitis is present, 122
Blood-cultures in Diagnosis, 120, 124–5
Chemotherapy of, Experiments on Rats, and on Rabbits, 127
Complement Fixation Methods, 124-5
Diagnosis of, 120, 123–5
Blood-Cultures in, 120, 124–5
Difficulties in, 120, 121
Microscopic, 123
Serum Agglutination Test in, 122-3
Diagnostic Methods, for Differentiation of, in Man, and Animals, 124–5
Experimental, Treatment by Ethyl-copper-chloride, 127
Goats in relation to, 122, 123
Hepatic Complications in, 120
Incidence
Age, 121
Geographical
Algeria, 123
Corsica, 123
France (Central), 123
Geneva, 122
Italy (epidemic, 1913), 121
Mesenteric gland enlargement in, 120
Micro-organisms of
M. melitensis, 120, 121, 122
Blood-examination for, 121
Found in
Bile, 125, 126
Faeces, 126
Gall-Bladder (possibly), 125
Milk, 124
of London Cows, 127–8
Antibodies for, also found, 126–7
Infection by ; Results, 120, 121
Micrococcus of Bruce, used in Inoculation of Rabbits, 127
Passage of, through Mucous Membranes, 123
Used in Demonstration of Antibodies, 124
Variations of Strain, 123, 125
M. paramelitensis, 123
Avoidance of, in Antibody Research, 124
Milk, Cows', in relation to, 124, 126-7
Cooking of, advisable, in regard to, 123
Opsonins for *M. melitensis*, thermostabile, in Milk, &c., of a London Cow, 126
Phlebitis with, 120, 122
Treatment, 122
Prophylaxis, 123
References to Literature, xxxvii, lxvi–vii

Undulant Fever—*cont.*
Serum-Agglutination Test in, Essentials in, 122–3
Serum-reactions for Diagnosis, 124–5
Wright's Method, 125
Sheep in connection with, 122
Splenomegaly in, 120
Symptoms, 120
Mental, 120–1
Nervous, 120–1
Uncommon, and Complications, 120, 121, 122

Uta, *see* TROPICAL SORE, *under* **KALA AZAR**

Verruga Peruviana, *see* **OROYA FEVER**

Vital Statistics, *see* **HYGIENE, APPLIED, IN THE TROPICS**

Waste Disposal, *see under* **HYGIENE, APPLIED IN THE TROPICS**

YAWS, 418–24
Co-existent with Ulcus tropicum, 383
Disablement and Disfigurement from 420
Etiology, 420, 422
Galyl in (*see also* Treatment, *infra*), Dosage : Nature of : Preparation : Procedure, 423
Incidence
Age, 418, 420, 421
Climatic, 421–2
Familial, 421
Geographical
Annam, 422
British Guiana, 424
Central Africa, 420
Ceylon, 421
Equatorial Africa (Borders of French Africa and Kamerun), 421
German East Africa, 420
New Guinea, 375
Northern Territory, Australia, 375
Nyasaland
Dedza District, 418–20
Sumatra, 383
Tobago, 434
Torres Straits Islands, 375
U.S.A., 424
North Carolina, 424
West Indies, 423, 424
Antigua, 423, 424
Racial, 375, 418
Sex, 418, 420

Yaws—*cont.*
Juxta-articular Nodules attributed to, 418 *&n.*, 420
Origin of, Legend on, 420
Spirochaete as cause, 422
Symptoms, 418, 420, 422
Gangosa, 381, 420, 422
Leucoderma, 420
References to Literature, xxxvii–viii, lxvii
Transmission, Theory on, 422
Treatment by
Chopped-up Leaves of Shrub, Native and Successful Method, 421
Chromic Acid Solution, 421
Galyl, 422–3
Neosalvarsan Injections, 422, 424
Potassium Iodide, 420
Salvarsan Injections, 387, 421, 422, 423, 424
Salvarsan-Copper (K_3), 387
Tartar Emetic ; Sod. Salicyl, Pot. Iod., Sod. Bicarb., Prescription, 422
Usual Sites of, 418, 420, 421

Various Forms
PRIMARY, Self-healing of, 420

TERTIARY, Mistaken for Syphilis, 381, 420
Reciprocal Immunity between, and Syphilis, 421

YELLOW FEVER, 71–82
Blood-conditions in, 76–7
Blood of Guinea-pigs, Seidelin-like Bodies in, 77–81
Carriers of (*see also under* Transmission), Limitation of Meaning of Term, 79
Clinical Test for, or Desideratum, 75
Commission on, Reports of, 71 *et sqq.*
Diagnosis of, Difficulties in regard to Mild Cases, 75, 76
in Guinea-pigs, *see under* EXPERIMENTAL
Immunity
Age, 73, 77
Racial, 73
Residential, 81
Incidence
Geographical
America
North
Mexico, 77–8, 82
South, 310
Brazil (Manaos), 81
Ecuador (Guayaquil), 76–7, 443

Yellow Fever—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Trinidad, 442
West Africa
British, 71–5, 79
French (Ivory Coast), 75
Racial, 73
Liver, in relation to Infancy Immunity, 77
Mercury bichloride Reaction in (Tanret's and Spiegler's), 78
Mild cases, in relation to Diagnosis, 75, 76
Mosquito associated with, *see Stegomyia fasciata, infra*
Negro Susceptibility to, in W. Africa, 73
Parasite of, *see Paraplasma flavigenum*
Paraplasma flavigenum and, 77
in Blood
Guinea-pigs
Bodies found with, in Normal Animals, 80
Human
in Carriers and Pseudo-Carriers, 78–9
in Experimental Case, 78
in Persons shewing no Sign of the Disease, 78, 79
Seidelin's views on, combated, 80
Transmission from Man to Guinea-pig and *vice versâ*, 78
Variations in forms of, in relation to Bodies in Blood of Guinea-pigs, 80–1
Post-mortem findings in Native Case, 75–6
Problems of, 71–2
Prophylaxis, 78, 81, 82, 309
Anti-*Stegomyia* Measures
Brazil, 81
Mexico, 78, 82
Ducks as Larvicides, 309
Vaccine (suggested), 78
References to Literature, xxxviii, lxvii
Seidelin's bodies and, 73
Researches in healthy Guinea-pigs : Adverse deductions made, 79–80
Stegomyia fasciata and
Distribution
Brazil, 81
Crete, 310
Greece, 310
Italy, 310
Mexico, 78, 82
Portugal, 310
Russia (Black Sea Shores), 310
Spain, 310

Yellow Fever—*cont.*
Stegomyia &c.—*cont.*
Extermination Measures
Brazil, 81
Mexico, 78, 82
Females, Times at which these Attack, 309–10
and the Parasite, in N. Australia, 375
Survey of Ports in Ceylon, 305
Species found, 306, 307
Test Breeding-pots for, 306, 307
as Vector; Problems of Attack- and Feeding-Times, in relation to, 309–10
and Virus of, Researches on, 75

Yellow Fever—*cont.*
Transmission by
Carriers, 78, 79
Contacts, 79
Howler Monkeys (possible), 441–2
Inoculation, 78
Pseudo-Carriers, 78–9
Stegomyia fasciata, Problems of, 309-10
Symptoms, 75, 76, 78, 79
Vaccine Prophylaxis (suggested), 78
Virus of, Researches on, 75

EXPERIMENTAL
in Guinea-pigs, 78, 80, 81
Symptoms, 78
in Man, 78

INDEX OF APPLIED HYGIENE IN THE TROPICS.

HYGIENE, APPLIED, IN THE TROPICS, 131–97, 447–86

Countries referred to

Algeria, Malaria in, as reduced by Agriculture, 149
Ashanti, Marsh Reclamation at Coomassie, 180
Australia
Queensland
Diseases Prevalent
Diphtheria, 449
Small-pox, 449–50
Passport Precautions, 449–50
Vaccination, 449
Typhoid: Anti-Typhoid Inoculation Urged, 449
Epidemiological Problems in, 448–9
Notification of Disease in, 449
Diseases Notifiable, 449
Report (1913), 448–50
Vital Statistics, 449
British Guiana, Ankylostomiasis in: Eradication measures, 458–9
Burma, Beriberi (1909), 461
Report on (1913), 462
Malaria, 454–5
Sanitary Ruling *re* Milk-watering (Rangoon), 176–7
Vital Statistics, 454–5
Dutch New Guinea, Beriberi in, 462
East Africa Protectorate
Anti-malarial Measures, 139, 146–7 *&n.*
Applied Hygiene in, 447–8
Diseases Prevalent, 138–9
Anaemia, 138
Ankylostomiasis, 138, 170
Beriberi, 168
Blackwater Fever, 138
Cerebro-Spinal Fever, 447
Cerebro-Spinal Meningitis, Epidemic of, 138, 139
Elevation, Temperature and Humidity, in relation to, 139
Sanitary Measures against, 139
Diabetes, 138 *&n.*

Hygiene, Applied—*cont.*
Countries referred to—*cont.*
East Africa Protectorate—*cont.*
Diseases Prevalent—*cont.*
Dysentery, Bacillary, 139
Enteric Fever (Epidemic of 1911), and Water Supply, 140
Leprosy, 177
Malaria, 138, 139, 174
Plague, 138, 456
Endemic, 447
Epidemic of, 139
Preventive Measures
Inoculation, 139, 466
Ruling on, 178
Rat-destruction, 139
Rats along Trade-routes and, 154–5, 456
Sleeping Sickness, 178, 448
Small-pox, 447
Epidemic (1913), 138
Epidemic Rate (1913), 171
Reports (1913), 137–40
Simpson's, on Sanitary Future, 447
Sanitary Organisation, 171
Sanitary Rulings, *re*
Building Sites, Control of, 177–8
Drainage of Premises, 177
Leprosy, 177
Plague Inoculation, 178
Sleeping Sickness, 178
Ways and Means, 177
Sanitary Works
Laundries, 186–7
Makeshift, 187–8
Sanitation Division, Establishment of, 138
Sewage Farm, proposed, 139–40
Ecuador, Plague at Guayaquil, 456
Egypt, Bilharzia in, 459
"Meidas" replaced by Taps, for Religious Ablutions, 463
Report of Anti-rabic Institute for 1913, 460
Sanitary Rulings *re*
Alcohol, 473
Anti-mosquito procedure, 473
Fiji, Ankylostomiasis in Indians in, 169

Hygiene, Applied—*cont.*
Countries referred to—*cont.*
Fiji—*cont.*
Bowel Diseases of Children in: Anti-fly Campaign and, 170
Gold Coast
Death-rate Reduction, 134
Diseases Prevalent
Blackwater Fever, 134
Dracontiasis (Guinea-Worm), 135
Malaria, 134
Yellow Fever, 134
Invaliding and Death-rates of European Officials, 196–7, 480
Portable Mosquito-proof Rooms in Hospital, Lagos, 154
Pot Wells, 188
Report (1913), 134–5
Vital Statistics, 196–7, 486
India
Anti-fly Campaign, at Delhi, 170
Anti-malarial Measure suggested, *re* Control of Irrigation, 177
Anti-Plague Measure: Cyanide Fumigation as, 156–160
Diseases Prevalent
Cholera, as spread by
Carriers, 161
River Surface Water, 161–2
Delhi Boil, 170
Enteritis, Fly-borne, and Infant Mortality, 170
Malaria, 145, 150–3, 177, 190–3, 451–3
Small-pox
Death-rate, Vaccination, and Vaccines, 163 *et sqq.*
Sand, &c., for "Cleansing," Unclean Sources of, 462–3
Sanitary Rulings, 177; Suggested, 473–4
Sanitary Works, 181 *et sqq.*
Vital Statistics
Birth-Rate and
Food Scarcity, 193–6
Malaria, 190–3
Invaliding and Death-rates of British Troops (1800–56 & 1866–9), 197
Sex-Mortality, relative and Food Scarcity, 194–6
Water Consumption in Cities, 189

Hygiene, Applied—*cont.*
Countries referred to—*cont.*
India—*cont.*
Bengal, Malaria in, 451
Sanitary Organisation
Finance and Sanitary Works, 171–3
Pot Wells in, 188
Vital Statistics, 190–4
Bombay
Plague at, 456
Cyanide Fumigation for, 156–60
Vital Statistics, 194
Calcutta
Death-rates, Fallacy in, 485
Madras
Anti-malarial Measures, 150, 151, 152, 452–4
Diseases Prevalent
Cerebro-spinal Meningitis, 179
Malaria, 150–2, 452–4
Plague, 457
Tuberculosis, 179
Fish-Farming and Larvicides, 151–2, 452–4
Marsh Reclamation, and Waste Disposal, 180
Public Health Bureau for, advocated, 472
Public Instruction on Sanitary Matters, 472
Sanitary Rulings *re*
Alcohol, 473
Cerebro-Spinal Meningitis and Tuberculosis, 179
Village Water Supplies, 177
Water Works, 473–4
Sanitary Works
Sewerage: Exclusion of Storm Water, &c., 181 *et sqq.*
Water-Waste Prevention, 480–3
Vital Statistics, 190–5
Punjab
Vital Statistics, 190
Southern, Rabies in, Report of Pasteur Institute (1914), 460
Italy, Irrigation in relation to the Birth-rate, 192
Japan, Beriberi on Ships from, 461
Malaya
Kuala Lumpur
Beriberi in, 461
Malaria in, 478
Prophylaxis, 478–80
Water Purification in, 463–4
Nigeria, Southern, &c.
Anti-malarial Measures, 137
Death and Invalidity Rates for European Officials, 136, 486

Hygiene, Applied—*cont.*
Countries referred to—*cont.*
Nigeria—*cont.*
Diseases prevalent
Ankylostomiasis, 136
Dysentery in Jails, 137
Filariasis, 136
Leprosy, 136
Malaria, 135
Death-rates, Native and other, 137
Sleeping Sickness, 135
Locale, and Trypanosome of, 135–6
Tetanus, 136
Tuberculosis, 136, 137
Yellow Fever, 136, 137
Drainage, Subsoil, 137
Mosquito Index Reduction, 137
Mosquito-proofing of Houses, 137
Report (1913), 135–7
Sanitary Rulings *re*
Prisoners' Diet, 178
Sanitary Zones, 178–9
Surveillance Permits, 179
Sewage Disposal, 137
Vital Statistics, 136
Water Supplies, 137
Panama Canal Zone
Anti-malarial Measures, 145, 174
Anti-malarial Researches, 451
Diseases Prevalent
Ankylostomiasis; Race Incidence, 458
Beriberi, 461
Malaria, 145, 174, 451
Race Incidence, 190
Typhoid Fever, 457
Flea and Fly Counts, Methods of Making, 156
Sanitary Organisation
Military Posts and Anti-malarial Measures, 174
Vital Statistics, 190
Peru, Yellow Fever Prophylactic Measures at Iquitos, 153–4
Philippine Islands
Diseases Prevalent
Ankylostomiasis: Racial Incidence, 457–8
Cholera, Sanitary Ruling *re* Carriers, 179
Dysentery, 142
Lunacy, 142
Malaria: Death and Invalidity Rates, 174
Reduction in, 142
Plague in, from Mummified Plague Rat, 155
Tuberculosis, 142
Typhoid: Results of Inoculation, 141
Venereal, 141

Hygiene, Applied—*cont.*
Countries referred to—*cont.*
Philippine Islands—*cont.*
Microbe-increase in Boiled Water on Subsequent Exposure, 175
Rat-mortality and other Rat Vital Statistics, 155
Sanitary Ruling, *re* Cholera Carriers, 179
Vital Statistics, 174
Saint Lucia, Pellagra in, 168–9
Scotland, Diarrhoea in, from Sand "Cleansing" of Vessels, 463
Sierra Leone
Anti-malarial Measures, 132–3, 143–4
Deficiencies in
Malaria-preventives, 134, 143-4
Rubbish Collection, 134
Sewage Disposal, 134
Diseases Prevalent
Ankylostomiasis in Jails, 169
Elephantiasis, Scrotal, Operation for, 132
Leprosy, 131
Malaria, 131, 132–3, 143–4
Endemic and Splenic Indices in, 132
Sleeping Sickness, 131
Syphilis, 131
Tuberculosis, 131
Typhoid Fever, 162
Yellow Fever, Studies on, 132
Drainage of Flood Areas, 143
at Freetown, 133
Hospitals and Dispensaries, 132
Prescribing by Unqualified Persons, 132 *&n.*
Mosquito Indices, 132
Mosquitoes breeding in Wells, 146, 153
Port Health Officers for, desired, 133
Report (1913), 131–4, 143–4
Rest Houses, Risks of, to Europeans, 131, 133, 174
Sanitary Organisation
Provision of Rest Houses, 174
Slaughter-houses, and *Cysticercus bovis* Infection, 133
Vital Statistics, 131, 486
Water Supply, for Freetown and Mosquito Breeding-places, 133
U.S.A.
Alcoholism, Non-Effectiveness, and Prophylaxis, 140
Anti-malarial Investigations in, 143 *et sqq.*
Anti-Typhoid Inoculation: Results, 141, 163

Hygiene, Applied—*cont.*
Countries referred to—*cont.*
U.S.A.—*cont.*
Diseases Prevalent
Ankylostomiasis Examinations in, 169
Dysentery (Philippines), 142
Lunacy-rates, Philippines, as compared with U.S. rate, 142
Malaria (Philippines), 142
Plague, 158–60
in Ground Squirrels, in 451
Scurvy, and Anti-scorbutic powers of Cabbage, 169
Tuberculosis (Philippines), 142
Typhoid Fever, and the Results of Anti-Typhoid Inoculation, 141
Venereal, Non-Effectiveness, and Prophylaxis, 140-1
Hydrocyanic Acid Gas as Fumigation for Plague in, 158, 159, 160
Non-Effectiveness Rate, 140
Causes, 140–1
Decline in, 140
Methods of Reduction, 140–1
Stable flies as Plague Carriers, 156
Tropical Conditions as affecting White Men, 142
United States Army Report (1913–14), 140–2
West Africa, Death-rate and Invalidity of White Officials in, 131, 196–7, 486

Disease Prevention, 143–70, 451–67

DISEASES REFERRED TO
Anaemia, 138
Beriberi, 167–8, 461–2
Blackwater Fever, 134, 138
Cerebro-Spinal Meningitis, and Fever, 138, 139, 179, 447, 449
Delhi Boil, 170
Diabetes, 138 *&n.*
Diarrhoea, 463
Diphtheria, 449
Dysentery, 142
Bacillary, 139
Jail, 137
Enteric Fever, 140, 170
Helminthiasis
Ankylostomiasis, 136, 138, 167–70, 449, 457–9
Bilharzia, 459–60
Dracontiasis, 135
Elephantiasis, Scrotal, 133
Filariasis, 136
Schistosomiasis, Experimental, 459–60

Hygiene, Applied—*cont.*
Disease Prevention—*cont.*
DISEASES REFFERED TO—*cont.*
Leprosy, 131, 136, 177
Malaria, 131, 132–3, 134, 137, 138, 139, 142-53, 173-4, 177, 190–3, 451–5, 478–80
Pellagra, 168–9
Phthisis, 449
Plague, 138, 139, 154–60, 178, 447, 451, 452, 455–7, 466
Rabies, 460
Scurvy, 169
Sleeping Sickness, 131, 135–6, 178, 448
Small-pox, 138, 183–7, 447, 449–50
Syphilis, 131
Tetanus, 136
Tuberculosis, 131, 136, 137, 142, 179
Typhoid Fever, 141, 162–3, 449, 457
Venereal, 136, 140–1
Vomito-Negro, *see* Yellow Fever
Yellow Fever, 132, 134, 136, 137, 153–4, 449

METHODS EMPLOYED, *see also* Sanitary Orders, Rulings, Works, *infra, &* Waste
Agriculture, 148–51
Anti-Cholera Transmission Precautions, Philippine Islands, 179
Anti-fly Campaigns, 170
Anti-malarial Measures, 143 *et sqq.*, 148-51, 154, 173-4, 452 *et sqq.*
Anti-Plague
Fumigation
Carbon monoxide in Ships, 457
Cyanide, 156–60
Sulphur, 155
Inoculation, 178, 466
Rat-destruction, 139, 457
Anti-Scorbutic Use of Cabbages, 169
Anti-Stegomyia Campaign, 154
Anti-Typhoid Inoculation, 141, 163
Sanitary Examinations, 457
Cleanly Sand, and Tap-supplied Water, for Religious and other Uses, 462–3
Notification, 179, 449
Passports and Vaccination Certificates, 449
Personal Prophylaxis, *see infra*
Protection of Water, 174–5

Hygiene, Applied—*cont.*
Disease Prevention—*cont.*
METHODS EMPLOYED—*cont.*
Purification of Water, Limitation in, 463–4
Taps for delivery of, 463
Screening, Larvicides, Portable Rooms, Use of, against Yellow Fever, 153–4
Thymol Administration (for Ankylostomiasis), 458, 459
Vaccination and Vaccines for Plague, 178, 466
Small-pox, India, 163 *et sqq.*, 446–7, 449.

PERSONAL PROPHYLAXIS, 464–7
Anti-Plague Inoculation, 178, 466
Cocaine Habit, the, 467
Substituted drugs, 467
Opium Habit, the, 467
Substituted drugs, 467
Snake Bite, Pot. Permanganate Treatment, 464–7
Vaccination, *see also under* Methods, *supra*
Anti-Plague, 178, 466
Small-pox ; Aseptic, 466–7

General References
Anaesthetin, a Cocaine Substitute ; Identification of, 467
Ankylostomes in Soil ; Destruction of, 459
Anopheline-breeding Places and Anti-mosquito Measures, 143–53, 452–5
Anti-Ankylostomiasis Campaign, B. Guiana, 458–9
Birth-rate as Influenced by
Food Scarcity, in India, 183 *et sqq.*
Irrigation, in Italy, 192
Malaria, in
Burma, 454–5
India, 190 *et sqq.*
Boiling of Water in Tropics, Axiomatic, 174–5
Building Sites, Control of, East Africa, 177–8
Cabbage as Anti-Scorbutic, 169
Camp Hygiene, and Water Precautions, 174–5
Chlorine, Liquid, for Water Purification, 464
Crude Carbolic Emulsion as Larvicide, Panama Canal Zone, 452
Examination for Typhoid Carriers, &c., Panama Canal Zone, 457
Daphne pulex, Enemy of Mosquito Larvae, 454

Hygiene, Applied—*cont.*
General References—*cont.*
Denatured Alcohol ; Term defined by Ruling *re*, 473
Dwelling-Precautions against Malaria, 146, 174
Dystiscidae, Enemies of Mosquito Larvae, 454
Filtering of Water, Risks of, 174
Flea and Fly Counts, Method of Making, 156
Food Scarcity as Influencing
Birth-rate, India, 193 *et sqq.*
Mortality, relative, of Sexes, India, 194–5
Hypochlorite of Lime for Water Purification, 464
Hydrocyanic Acid Gas as Disinfectant, 156–60
Immigration, in relation to Spread of Disease
East Africa Protectorate, 448
Queensland, 449
Immunity, Local, to Plague, 455
Infant Mortality and Fly-borne Enteritis, Delhi, 170
Insect Vectors of Disease
Fleas, of Plague, 155, 156
Flies, of Plague, 156
Mosquitoes, of
Malaria, 143–5, 153, 452–4
Yellow Fever, 153–4
Invaliding and Death-rates of
British Troops, India (1800–56, and 1866–9), 197
European Officials, Gold Coast, 196–7, 486
West Africa, 486
Iodine Tincture as affecting Vaccination Asepsis, 466–7
Irrigation and
Birth-rate
Burma, 455
Italy, 192
Drainage, in relation to Malaria Prevention, 177, 454, 455
Katayama nosophora and the *Schistosoma japonicum*, 459
Land Ownership, in relation to Town Planning, 483–4
Larvicides and Larvicidal Measures
Crustaceans, 454
Emulsion of Crude Carbolic, 452
Fish, 151–2, 453–4
Frogs, 153
Tank-filling-up, 152
Laundries, E. A. Protectorate, 186-7
Makeshift, 187-8
Man and Rat as Plague-carriers to each other, 456
Manures, Chemical, Destruction by, of Ankylostomes in Night Soil, 459

Hygiene, Applied—*cont.*
General References—*cont.*
Marshes, Reclaimed, Value of, at Ashanti, and Madras, 180
Milk, Legalised Watered (Rangoon), 176–7
Mine Sanitation, Rand, Defects, Diseases and Suggestions, 313–5
Mosquitoes as Vectors, *see under* Insect Vectors
Breeding Places, 143–53
Gamete-bearing, not always Infective, 153
Larvicides, 151–2, 452–4
Natural Enemies, 454
Permanganate of Potash Treatment of Snake Bite, 464–7
Placenta, the, and
Malaria, 451
Plague, 451
Portable Mosquito-Proof Rooms, 154
Pot Wells, *see under* Water Supply
Pregnancy and Spread of
Malaria, 451
Plague, 451
in Ground Squirrels, 451
Prisoners' Diet, Ruling *re*, in Southern Nigeria, 178
Rats in Relation to Plague
Climbing Powers, 457
Eviction by Fumigation, Panama Canal Zone, 457
and Man, as Plague-carriers to each other, 456
Mummified, 155
Transport of, 154–5, 456, 457
Vital Statistics of, 155
References to Literature, xlv–vii, lxxiii–iv
Religious "Cleansing," and Insanitary Methods, 462–3
Reservoirs and Malaria, 143 *et sqq.*
Residence in relation to Plague-percentages, 466
Rest Houses and Disease, 131, 133, 174
Rice in relation to Beriberi, 167–8, 461, 462
Road-making, East Africa Protectorate, and Route of Infections, 177
Role of the Sanitarian, 450
Roof Guttering and Mosquito-Breeding, 146–7 *&n.*
Routes of Infection, in regard to Anti-malarial Works, 173–4
Zones and Segregation, Ruling *re*, S. Nigeria, 178–9
Sanitation as Aided by Agriculture, 149, 150

Hygiene, Applied - *cont.*
General References—*cont.*
Schistosome Experiments with *Schistosomum japonicum* and *S. haematobium*, 459–60
Sewerage, Exclusion from, of Storm Water, &c., 181 *et sqq.*
Stable Flies, *see* Flies *under* Insect Vectors
Surveillance Permits, Ruling *re*, S. Nigeria, 178
Ultra-Violet Rays for Water Purification, 464
Water Supplies
Pot Wells
Gold Coast, 188
India (Bengal), 188
Village, in Madras, 177
in relation to
Cholera, River Surface Water, 161–2
Malaria
Drinking-Supplies, 152
Impounded Waters, 143–5, 152
Roof-Gutter Collections, 146–8
Subsoil Water, 146, 148 *et sqq.*
Well Water, 153
Water Consumption in Indian Cities, 189
Wells, *see* Pot Wells, *under* Water Supply
Wet Crops and Anti-malaria Precautions, India, 150
White Officials in West Africa, Reduced Death-rate of (1903–14), 134–5, 486

Reports, *see under* Names of Countries sending Reports

Sanitary Organisation (*see also under* Countries, *supra*), 171–5, 468–72
Anti-malarial Works, Radical, Selection of Localities for, 173–4
Bureau of Public Health urged, 468–72
Camp Hygiene, 174
Dwellings and Malaria, 174
Epidemic Rate, Elimination of, 171
Finance and Sanitary Works, 171–3

Sanitary Rulings, 176–9, 475–6
Concerning
Alcohol (Madras), 473
Anti-mosquito Measures (Egypt), 473

Hygiene, Applied—*cont.*
Sanitary Rulings—*cont.*
Concerning—*cont.*
By-Laws for Water-Works (Madras), 473–4
Cerebro-Spinal Meningitis and Tuberculosis (Madras), 179
Cholera Carriers (Philippines), 179
Control of Building Sites (East Africa), 177–8
Drainage of Premises (East Africa), 177
Inoculation with Haffkine's Vaccine (East Africa), 178
Irrigation and Malaria Prevention (India), 177
Legalised Watered Milk (Burma), 176–7
Leprosy (East Africa), 177
Prisoners' Diet (S. Nigeria), 178
Sanitary Zones (S. Nigeria), 178–9
Sleeping Sickness (East Africa), 178
Surveillance Permits (S. Nigeria), 178
Village Water Supplies (Madras), 177
Ways and Means (East Africa), 177

Sanitary Works, 181–9, 478–84
Exclusion of Storm Water and Silt from Sewerage Systems (Madras), 181 *et sqq.*
Laundries (East Africa), 186–7
Makeshift, 187–8

Hygiene, Applied—*cont.*
Sanitary Works—*cont.*
Subsoil Drainage (Kuala Lumpur), 478–80
Town Planning, 483–4
Water Supplies
Pot Wells, (India), 188
Water Consumption in Indian Cities, 189
Water-Waste Prevention (Madras), 480–3

Waste, Disposal and Treatment, 180, 476–7
Collection of Excreta, 476–7
Disposal of Sullage, 477
Incineration of Rubbish, 477
Reclaiming of Marshes (Madras), Economic Value of Sites, 180

Vital Statistics, 190–7, 485–6
Birth-rate, Influence on, of
Food-scarcity (India), 193–4
Malaria (Burma), 454–5, (India), 190–3
Death-rate, Total, of Towns, the Fallacy of (Calcutta), 485–6
Death-rates and Invaliding of White Officials
Gold Coast, 196–7, 486
Sierra Leone, 131
West Africa, 486
Mortality of Sexes (India), Influence on, of Food-Scarcity, 144–6
Race and Malaria (Panama Canal Zone), 190